

Upper Left:
123°30'30"W 43°7'47"N
4118419E 547623N ft

$$1'' = 400'$$

Date Exported 2026-07-14

280723

CANCELLED NOS.
301 302 1000M1
1400M1 300 801
1000


PARCEL 202

1. N55°49'16"W 224.66'
2. N61°52'58"W 307.1'
3. N75°13'43"W 204.75'
4. N62°53'14"W 130.99'
5. S36°27'48"W 209.43'
6. S61°E 222'
7. S75°E 389.45'
8. S88°56'47"E 325.47'

PARCEL 200
1. S89°54'40"W 40'
2. S6°W 340'
3. S57°13'W 586.24'
4. N74°E 500'
5. N62°E 300'

PP 2006-29

1. N59°9'16"E 332.29'
2. N50°45'17"E 74.43'
3. N64°00'18"E 58.85'
4. N64°00'18"E 81.93'
5. N49°59'42"E 82.88'
6. N58°30'57"E 137.15'




Lower Right:
N 43°6'41"N
E 540668N ft

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

SEC.23 T.28S. R.7W. W.M.
DOUGLAS COUNTY
1" = 400'

REVISED ON
9-6-17

28 7 23



FILED
RECEIVED

MAR 11 1959


COUNTY SURVEYOR
DOUGLAS COUNTY, ORE.

COUNTY SURVEYORS FILE DATA
DO NOT REMOVE FROM OFFICE

SURVEY OF SECTION 22, T 28 S, R 7 W, W.M.

SURVEYED FOR: C. M. McDERMOTT
SURVEYED BY: G. R. LECKLIDER — ENG'R.

MARCH, 1959
SCALE: 1" = 500'



SEC. COR. 15, 16, 21, 22
FD.: BRASS CAP & IRON PIPE
24" FIR - N 48° E - 43.3'
18" FIR - S 04° W - 31.8'
16" FIR - S 11° E - 38.8'
18" FIR - N 12° W - 9.5'
22" FIR - N 36° W - 44.0' - STUMP
22" FIR - S 34° E - 48.0' - STUMP

1/4 COR. SEC. 15 & 22
SET: 1/2" ROD IN MOUND OF STONE
11" FIR - S 79° W - 28.9'
11" FIR - N 06° W - 14.0'
ORIG. COR. NOT FD.

SEC. COR. 14, 15, 22, 23
FD.: 14"X 6"X 8" BOULDER
28" FIR - N 29° E - 24.6'
40" FIR - N 37° W - 21.4'

* N 1/16 COR. SEC. 21 & 22
SET: 1/2" ROD IN MOUND OF STONE
12" FIR - S 60° E - 6.0'
14" FIR - N 15° W - 4.3'


SEE BLM LINE NOTES Pg 20008
(REJECTED)

N 1/16 COR. SEC. 22 & 23
SET: 1/2" ROD IN MOUND OF STONE
14" W. FIR - S 63° W - 14.7'
16" W. FIR - S 32° E - 23.9'

* 1/4 COR. SEC. 21 & 22
FD.: FORD AXLE
20" FIR - S 08° W - 38.0' - DEAD & DOWN
5" OAK - S 08° E - 20.7' - DEAD

* 4/28/72
NOTE: PER BLM -
THIS IS NOT THE
1/16 COR. WAS
EST. IN ERROR. SEE
BLM LINE NOTES Pg 20009

NOTE: ALL BEARINGS BASED ON SOLAR OBSERVATION



1/4 COR. SEC. 22 & 23
FD.: OAK POST
36" OAK - S 85° W - 185 LKS. - DEAD
32" OAK - S 77° E - 80 LKS. - DEAD
10" OAK - S 63° W - 19.4'
8" OAK - S 56° E - 40.6' - DEAD

COUNTY SURVEYORS FILE DATA
DO NOT REMOVE FROM OFFICE

*SURVEY FOR DEED DESCRIPTION
OF A PARCEL OF LAND IN THE N.W. 1/4 OF SEC. 23 T.28S. R.7 W.W.M.
SURVEYED FOR ED MORAN BY BRUCE R. ROGERS*

MAY - 1965

SCALE - 1 IN. = 300 FT.

