

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

The following answers and explanations are true and complete to the best of SELLER'S knowledge. This statement has been prepared to assist prospective BUYERS in evaluating SELLER'S property. This disclosure is not a warranty of any kind by the SELLER, or any real estate FIRM representing the SELLER, and is not a substitute for any inspection by the BUYER. SELLERS authorize FIRM in this transaction to disclose the information in this statement to other real estate agents and to prospective buyers of this property.

NOTICE TO SELLER(S): COMPLETE ALL INFORMATION AND STATE NOT APPLICABLE OR UNKNOWN AS APPROPRIATE. IF ANY OF THE INFORMATION IN THIS PROPERTY DISCLOSURE FORM CHANGES FROM THE DATE OF COMPLETION, YOU ARE TO NOTIFY THE LISTING FIRM PROMPTLY IN WRITING.

1. **SELLER:** Catherine Pope and David Pope
2. **PROPERTY LOCATION:** 2058 West Side Road, North Conway, NH 03860
3. **CONDOMINIUM, CO-OP, PUD DISCLOSURE RIDER OR MULTIFAMILY DISCLOSURE RIDER ATTACHED?** ☐ Yes ☒ No
4. **SELLER:** ☒ has ☐ has not occupied the property for 7 years. as a second home
5. **WATER SUPPLY**

Please answer all questions regardless of type of water supply.

- a. **TYPE OF SYSTEM:** ☐ Public ☒ Private ☐ Seasonal ☐ Unknown
☐ Drilled ☐ Dug ☐ Other
- b. **INSTALLATION:** Location: Deerbrook Townhouse Condos
Installed By: unknown Date of Installation: unknown
What is the source of your information? EG Chandler Prop. Mgmt.
- c. **USE:** Number of persons currently using the system: 28 plus or minus
Does system supply water for more than one household? ☒ Yes ☐ No
- d. **MALFUNCTIONS:** Are you aware of or have you experienced any malfunctions with the (public/private/other) water systems?
Pump: ☐ Yes ☒ No ☐ N/A Quantity: ☐ Yes ☒ No
Quality: ☐ Yes ☒ No ☐ Unknown
If YES to any question, please explain in Comments below or with attachment.
- e. **WATER TEST:** Have you had the water tested? ☒ Yes ☐ No Date of most recent test Annual
If YES to any question, please explain in Comments below or with attachment.
Are you aware of any test results reported as unsatisfactory or satisfactory with notations? ☐ Yes ☒ No
If YES, are test results available? ☐ Yes ☐ No
What steps were taken to remedy the problem?
COMMENTS: SEE attachment

6. **SEWAGE DISPOSAL SYSTEM**

- a. **TYPE OF SYSTEM:** Public: ☐ Yes ☐ No Community/Shared: ☐ Yes ☐ No
Private: ☒ Yes ☐ No ☐ Unknown
Septic Design Available: ☐ Yes ☒ No
- b. **IF PUBLIC OR COMMUNITY/SHARED**
Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No
What steps were taken to remedy the problem?
- c. **IF PRIVATE:**
TANK: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Unknown
Tank Size Gal. ☒ Unknown ☐ Other
Tank Type ☐ Concrete ☐ Metal ☐ Unknown ☐ Other
Location: TO E of house ☐ Location Unknown Date of Installation: unknown
Date of Last Servicing: 2018 Name of Company Servicing Tank: unknown
Have you experienced any malfunctions? ☒ Yes ☐ No
Comments:

SELLER(S) INITIALS CP DP

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 2058 West Side Road, North Conway, NH 03860

d. LEACH FIELD: ☐ Yes ☐ No ☐ Other unknown
IF YES, Location: _____ Size: _____ ☐ Unknown
Date of installation of leach field: _____ Installed By: _____
Have you experienced any malfunctions? ☐ Yes ☐ No
Comments: _____

e. IS SYSTEM LOCATED ON "DEVELOPED WATERFRONT" as described in RSA 485-A? ☐ Yes ☒ No ☐ Unknown
IF YES, has a septic system evaluation been done within 180 days? ☐ Yes ☐ No ☐ Unknown
Date of Evaluation: _____
Comments: _____

FOR ADDITIONAL INFORMATION THE BUYER IS ENCOURAGED TO CONTACT THE NH DEPARTMENT OF ENVIRONMENTAL SERVICES SUBSURFACE SYSTEMS BUREAU, 603-271-3501

7. INSULATION	LOCATION	Yes	No	Unknown	If YES, Type	Amount	Unknown
	Attic or Cap	☒	☐	☐			☒
	Crawl Space	☒	☐	☐	<u>partial under MBR</u>		☒
	Exterior Walls	☒	☐	☐			☒
	Floors	☐	☐	☐			☐
		☐	☐	☐			☐

8. HAZARDOUS MATERIAL

a. UNDERGROUND STORAGE TANKS - Current or previously existing:

Are you aware of any past or present underground storage tanks on your property? ☐ Yes ☒ No ☐ Unknown
IF YES: Are tanks currently in use? ☐ Yes ☐ No
IF NO: How long have tank(s) been out of service? _____
What materials are, or were, stored in the tank(s)? _____
Age of tank(s): _____ Size of tank(s): _____
Location: _____
Are you aware of any past or present problems such as leakage, etc? ☐ Yes ☐ No
Comments: _____
If tanks are no longer in use, have the tanks been removed? ☐ Yes ☐ No ☐ Unknown
Comments: _____

b. ASBESTOS - Current or previously existing:

As insulation on the heating system pipes or ducts? ☐ Yes ☒ No ☐ Unknown
In the siding? ☐ Yes ☒ No ☐ Unknown In the roofing shingles? ☐ Yes ☒ No ☐ Unknown
In flooring tiles? ☐ Yes ☒ No ☐ Unknown Other _____ ☐ Yes ☐ No ☐ Unknown
If YES, Source of information: _____
Comments: _____

c. RADON/AIR - Current or previously existing:

Has the property been tested? ☐ Yes ☐ No ☒ Unknown
If YES: Date: _____ By: _____
Results: _____ If app _____
Has the property been tested since remedial steps? ☐ Yes ☐ No
Are test results available? ☐ Yes ☐ No
Comments: _____

SELLER(S) INITIALS EP LF

BUYER(S) INITIALS _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 2058 West Side Road, North Conway, NH 03860

d. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☐ No ☒ Unknown

If YES: Date: _____ By: _____

Results: _____ If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No

Are test results available? ☐ Yes ☐ No Comments: _____

e. LEAD-BASED PAINT - Current or previously existing:

Are you aware of lead-based paint on this property? ☐ Yes ☒ No

If YES: Source of information: _____

Are you aware of any cracking, peeling, or flaking lead-based paint? ☐ Yes ☒ No

Comments: _____

f. Are you aware of any other hazardous materials? ☐ Yes ☒ No

If YES: Source of information: _____

Comments: _____

9. GENERAL INFORMATION

a. Is this property subject to liens, encroachments, easements, rights-of-way, leases, restrictive covenants, attachments, life estates, or right of first refusal?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

What is your source of information? _____

b. Is this property subject to special assessments, betterment fees, association fees, or any other transferable fees?

☒ Yes ☐ No ☐ Unknown If YES, Explain: _____

What is your source of information? _____

c. Are you aware of any onsite landfills or any other factors, such as soil, flooding, drainage, etc?

☐ Yes ☒ No If YES, Explain: _____

d. Are you aware of any problems with other buildings on the property? ☐ Yes ☒ No

If YES, Explain: _____

e. Are you receiving a tax exemption or reduction for this property for any reason including but not limited to current use, land conservation, etc.?

☐ YES ☒ NO ☐ UNKNOWN

If YES, Explain: _____

f. Is this property located in a Federally Designated Flood Hazard Zone? ☐ Yes ☒ No ☐ Unknown

Comments: _____

g. Has the property been surveyed? ☐ Yes ☐ No ☒ Unknown If YES, By: _____

If YES, is survey available? ☐ Yes ☐ No ☐ Unknown

h. How is the property zoned? RA

i. Heating System Age: UNKNOWN Type: FHW Fuel: Oil Tank Location: basement

Owner of Tank: home owner

Annual Fuel Consumption: \$1500+ Price: varies Gallons: approx 375

Date system was last serviced and by whom? Feb 2025 White Mountain Oil + Propane

Secondary Heat Systems: Woodstove

Comments: _____

j. Roof Age: 12+ Type of Roof Covering: Asphalt Shingles

Moisture or leakage: none

Comments: _____

SELLER(S) INITIALS

EP DP

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 2058 West Side Road, North Conway, NH 03860

k. Foundation/Basement: ☐ Full ☒ Partial ☐ Other: _____ ☐ Type: concrete
Moisture or leakage occasional small puddle
Comments: _____

l. Chimney(s) How Many? 1 Lined? unknown Last Cleaned: 2023 Problems? no
Comments: _____

m. Plumbing Type: copper Age: unknown
Comments: _____

n. Domestic Hot Water: Age: unknown Type: off boiler Gallons: n/a

o. Electrical System: # of Amps 100 ☒ Circuit Breakers ☐ Fuses
Comments: _____
Solar Panels: ☐ Leased ☐ Owned If leased, explain terms of agreement: _____
Comments: _____

p. Modifications: Are you aware of any modifications or repairs made without the necessary permits? ☐ Yes ☒ No
If Yes, please explain: _____

q. Pest Infestation: Are you aware of any past or present pest infestations? ☐ Yes ☒ No Type: _____
Comments: _____

r. Methamphetamine Production: Do you have knowledge of methamphetamine production ever occurring on the property?
(Per RSA 477:4-g) ☐ Yes ☒ No If YES, please explain: _____

s. Air Conditioning: Type: no Age: _____ Date Last Serviced and by whom: _____
Comments: _____

t. Pool: Age: _____ Heated: ☐ Yes ☐ No Type: _____ Last Date of Service: _____
By Whom: _____

u. Generator: Portable: ☒ Yes ☐ No Whole House: ☐ Yes ☐ No Kw/Size: 25 Last Date of Service: unknown
If Portable: ☒ Included ☐ Negotiable
Comments: Haven't used/started in 2 yrs. May need pre-use service.

v. Internet: Type Currently Used at Property: Spectrum

w. Other (e.g. Alarm System, Irrigation System, etc.) n/a
Comments: _____

NOTICE TO PURCHASER(S): PRIOR TO SETTLEMENT YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO ADJACENT PARCELS IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS MAY BE CONTAINED IN PURCHASE AND SALES AGREEMENT AND DEPOSIT RECEIPT. YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO INFORMATION ON ANY SEXUAL OFFENDERS REGISTERED UNDER NH RSA CHAPTER 651-B. SUCH INFORMATION MAY BE OBTAINED BY CONTACTING THE LOCAL POLICE DEPARTMENT.

SELLER(S) INITIALS [Signature] [Signature]

BUYER(S) INITIALS _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 2058 West Side Road, Conway, NH 03860

10. ADDITIONAL INFORMATION

a. ATTACHMENT EXPLAINING CURRENT PROBLEMS, PAST REPAIRS, OR ADDITIONAL INFORMATION?

☒ Yes ☐ No

b. ADDITIONAL COMMENTS:

ACKNOWLEDGEMENTS:

SELLER ACKNOWLEDGES THAT HE/SHE HAS PROVIDED THE ABOVE INFORMATION AND THAT SUCH INFORMATION IS ACCURATE, TRUE AND COMPLETE TO THE BEST OF HIS/HER KNOWLEDGE. SELLER AUTHORIZES THE LISTING BROKER TO DISCLOSE THE INFORMATION CONTAINED HEREIN TO OTHER BROKERS AND PROSPECTIVE PURCHASERS.

SELLER(S) MAY BE RESPONSIBLE AND LIABLE FOR ANY FAILURE TO PROVIDE KNOWN INFORMATION TO BUYER(S).

Catherine L Pope 10/17/25
SELLER DATE

R A Pope 10/17/25
SELLER DATE

BUYER ACKNOWLEDGES RECEIPT OF THIS PROPERTY DISCLOSURE RIDER AND HEREBY UNDERSTANDS THE PRECEDING INFORMATION WAS PROVIDED BY SELLER AND IS NOT GUARANTEED BY BROKER/AGENT. THIS DISCLOSURE STATEMENT IS NOT A REPRESENTATION, WARRANTY OR GUARANTY AS TO THE CONDITION OF THE PROPERTY BY EITHER SELLER OR BROKER. BUYER IS ENCOURAGED TO UNDERTAKE HIS/HER OWN INSPECTIONS AND INVESTIGATIONS VIA LEGAL COUNSEL, HOME, STRUCTURAL OR OTHER PROFESSIONAL AND QUALIFIED ADVISORS AND TO INDEPENDENTLY VERIFY INFORMATION DIRECTLY WITH THE TOWN OR MUNICIPALITY.

BUYER DATE

BUYER DATE

SELLER(S) INITIALS CP RP

BUYER(S) INITIALS

Property Disclosure 2058 West Side Rd

Section 5 - Water Supply

In late 2024 - early 2025 each user of the Deerbrook Townhouse Condos contributed equally (per deed) for refurbishment of the Well Pump House at the Deerbrook Townhouse Condominiums.

I have attached a communication received showing the scope of the work. Work has been completed.

EG Chandler is the local property management company for Deerbrook and would have all the pertinent info regarding annual water test results, whether the system is dug or drilled, number of users connected to the system (roughly 28 plus or minus), etc. They can be reached at (603)356-6060.

Carl L Pope 10/17/25
Seller

D. A. Pen 10/17/25
Seller

**Deerbrook Townhouse Condominium Association
Suren Rd, North Conway, NH**

The proposal for Refurbishing the Deerbrook Well Pump House System in 2024 involves the following:

1. Provide a temporary water supply to residents, re-piping in the pump house and altering the well pump controls.
2. Drain the atmospheric tank (est. 8500 gal), open it, and remove all tank fittings.
3. Drain and retire the hydropneumatic tank.
4. Sub-contract sand blast, inspect, and recoat the internal shell of atmospheric tank.
5. Install new constant pressure booster pumps with following equipment/materials:
 - a. (2) Goulds Gouhac30B booster pumps (3 phase, VFD)
 - b. (2) Goulds AVA 10030COFOXOX1, VFD controller
 - c. New Anchor Scientific Simplex Control – well pump
 - d. (2) New water meters, lead-free
 - e. lightning arrestor LA302R
 - f. Neutralize the treatment system
 - g. Schedule 80 PVC piping and fittings
 - h. Electrical fittings and wiring
6. Install new 24Kw Generac Propane Standby Generator, with Generac auto transfer switch 100A, operation ready.
7. Project to begin in September, 2024.