

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

The following answers and explanations are true and complete to the best of SELLER'S knowledge. This statement has been prepared to assist prospective BUYERS in evaluating SELLER'S property. This disclosure is not a warranty of any kind by the SELLER, or any real estate FIRM representing the SELLER, and is not a substitute for any inspection by the BUYER. SELLERS authorize FIRM in this transaction to disclose the information in this statement to other real estate agents and to prospective buyers of this property.

NOTICE TO SELLER(S): COMPLETE ALL INFORMATION AND STATE NOT APPLICABLE OR UNKNOWN AS APPROPRIATE. IF ANY OF THE INFORMATION IN THIS PROPERTY DISCLOSURE FORM CHANGES FROM THE DATE OF COMPLETION, YOU ARE TO NOTIFY THE LISTING FIRM PROMPTLY IN WRITING.

1. **SELLER:** Edward Shadoian and Frank Vieira

2. **PROPERTY LOCATION:** 274 Old Goshen Road, Conway, NH 03813

3. **CONDOMINIUM, CO-OP, PUD DISCLOSURE RIDER OR MULTIFAMILY DISCLOSURE RIDER ATTACHED?** ☐ Yes ☒ No

4. **SELLER:** ☒ has ☐ has not occupied the property for 5 years.

5. **WATER SUPPLY**

Please answer all questions regardless of type of water supply.

a. **TYPE OF SYSTEM:** ☐ Public ☐ Private ☐ Seasonal ☐ Unknown
☐ Drilled ☒ Dug ☐ Other

b. **INSTALLATION:** Location: REAR OF PROPERTY

Installed By: STREETER + SONS Date of Installation: 2021

What is the source of your information? BUILDER

c. **USE:** Number of persons currently using the system: 2

Does system supply water for more than one household? ☐ Yes ☒ No

d. **MALFUNCTIONS:** Are you aware of or have you experienced any malfunctions with the (public/private/other) water systems?

Pump: ☐ Yes ☒ No ☐ N/A Quantity: ☐ Yes ☒ No
Quality: ☐ Yes ☒ No ☐ Unknown

If YES to any question, please explain in Comments below or with attachment.

e. **WATER TEST:** Have you had the water tested? ☒ Yes ☐ No Date of most recent test APRIL 2021

If YES to any question, please explain in Comments below or with attachment.

Are you aware of any test results reported as unsatisfactory or satisfactory with notations? ☐ Yes ☒ No

If YES, are test results available? ☐ Yes ☐ No

What steps were taken to remedy the problem?

COMMENTS:

6. **SEWAGE DISPOSAL SYSTEM**

a. **TYPE OF SYSTEM:** Public: ☐ Yes ☐ No Community/Shared: ☐ Yes ☐ No
Private: ☒ Yes ☐ No ☐ Unknown
Septic Design Available: ☒ Yes ☐ No

b. **IF PUBLIC OR COMMUNITY/SHARED**

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No

What steps were taken to remedy the problem?

c. **IF PRIVATE:**

TANK: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Unknown ☐ Other

Tank Size 1250 Gal. ☒ Unknown ☐ Other

Tank Type ☒ Concrete ☐ Metal ☐ Unknown ☐ Other

Location: WEST SIDE OF HOUSE ☐ Location Unknown Date of Installation: 2021

Date of Last Servicing: 9/2025 Name of Company Servicing Tank: Turner

Have you experienced any malfunctions? ☐ Yes ☒ No

COMMENTS:

SELLER(S) INITIALS ES fv

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 274 Old Goshen Road, Conway, NH 03813

d. LEACH FIELD: ☒ Yes ☐ No ☐ Other
IF YES, Location: REAR OF HOUSE Size: 210 LF ☒ Unknown
Date of installation of leach field: 2021 Installed By: MELSON CO.
Have you experienced any malfunctions? ☐ Yes ☒ No
Comments:

e. IS SYSTEM LOCATED ON "DEVELOPED WATERFRONT" as described in RSA 485-A? ☐ Yes ☒ No ☐ Unknown
IF YES, has a septic system evaluation been done within 180 days? ☐ Yes ☐ No ☐ Unknown
Date of Evaluation:
Comments:

FOR ADDITIONAL INFORMATION THE BUYER IS ENCOURAGED TO CONTACT THE NH DEPARTMENT OF ENVIRONMENTAL SERVICES SUBSURFACE SYSTEMS BUREAU, 603-271-3501

7. INSULATION	LOCATION	Yes	No	Unknown	If YES, Type	Amount	Unknown
	Attic or Cap	☒	☐	☐	FIBERGLASS		☒
	Crawl Space	☒	☐	☐			☐
	Exterior Walls	☒	☐	☐	FIBERGLASS		☒
	Floors	☐	☒	☐	FIBERGLASS		☒

8. HAZARDOUS MATERIAL

a. UNDERGROUND STORAGE TANKS - Current or previously existing:

Are you aware of any past or present underground storage tanks on your property? ☒ Yes ☐ No ☐ Unknown

IF YES: Are tanks currently in use? ☒ Yes ☐ No

IF NO: How long have tank(s) been out of service?

What materials are, or were, stored in the tank(s)? PROPANE

Age of tank(s): 5 years Size of tank(s): 500 GALLONS

Location: DRIVEWAY SIDE OF HOUSE

Are you aware of any past or present problems such as leakage, etc? ☐ Yes ☒ No

Comments:

If tanks are no longer in use, have the tanks been removed? ☐ Yes ☐ No ☐ Unknown

Comments: N/A

b. ASBESTOS - Current or previously existing:

As insulation on the heating system pipes or ducts? ☐ Yes ☒ No ☐ Unknown

In the siding? ☐ Yes ☒ No ☐ Unknown

In the roofing shingles? ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ☐ Yes ☒ No ☐ Unknown

Other ☐ Yes ☐ No ☐ Unknown

If YES, Source of information:

Comments:

c. RADON/AIR - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If YES: Date: APRIL 2026 By: RADON REDUCTION + MOISTURE CONTROL SCOTT MILLER

Results: 79 If applicable, what remedial steps were taken? YES

Has the property been tested since remedial steps? ☒ Yes ☐ No

Are test results available? ☐ Yes ☒ No

Comments: TBD

SELLER(S) INITIALS ES, FV

BUYER(S) INITIALS ,

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 274 Old Goshen Road, Conway, NH 03813

d. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☐ No ☒ Unknown

If YES: Date: _____ By: _____

Results: _____ If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No

Are test results available? ☐ Yes ☐ No Comments: _____

e. LEAD-BASED PAINT - Current or previously existing:

Are you aware of lead-based paint on this property? ☐ Yes ☒ No

If YES: Source of information: NEW CONSTRUCTION

Are you aware of any cracking, peeling, or flaking lead-based paint? ☐ Yes ☒ No

Comments: _____

f. Are you aware of any other hazardous materials?

☐ Yes ☒ No

If YES: Source of information: _____

Comments: _____

9. GENERAL INFORMATION

a. Is this property subject to liens, encroachments, easements, rights-of-way, leases, restrictive covenants, attachments, life estates, or right of first refusal?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

What is your source of information? _____

b. Is this property subject to special assessments, betterment fees, association fees, or any other transferable fees?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

What is your source of information? _____

c. Are you aware of any onsite landfills or any other factors, such as soil, flooding, drainage, etc?

☐ Yes ☒ No If YES, Explain: _____

d. Are you aware of any problems with other buildings on the property?

☐ Yes ☒ No If YES, Explain: _____

e. Are you receiving a tax exemption or reduction for this property for any reason including but not limited to current use, land conservation, etc.?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

f. Is this property located in a Federally Designated Flood Hazard Zone?

☐ Yes ☒ No ☐ Unknown Comments: _____

g. Has the property been surveyed?

☒ Yes ☐ No ☐ Unknown If YES, By: _____

If YES, is survey available? ☐ Yes ☐ No ☒ Unknown

h. How is the property zoned? RESIDENTIAL

i. Heating System Age: 5 Type: FORCED AIR Fuel: PROPANE Tank Location: DRIVEWAY SIDE

Owner of Tank: RYMES

Annual Fuel Consumption: 604.2 Price: 4.24 per/g Gallons: 602.2

Date system was last serviced and by whom? MAY 2026

Secondary Heat Systems: _____

Comments: _____

j. Roof Age: 5 Type of Roof Covering: ASPHALT SHINGLES

Moisture or leakage: NONE

Comments: _____

SELLER(S) INITIALS

Q FV

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 274 Old Goshen Road, Conway, NH 03813

- k. Foundation/Basement ☒ Full ☐ Partial ☐ Other: _____ ☐ Type: _____
Moisture or leakage: NONE
Comments: _____
- l. Chimney(s) How Many? 0 Lined? _____ Last Cleaned: _____ Problems? _____
Comments: _____
- m. Plumbing Type: PEX PIPE / PVC Age: 5
Comments: _____
- n. Domestic Hot Water Age: 5 Type: ELECTRIC Gallons: 40?
- o. Electrical System # of Amps 200 ☒ Circuit Breakers ☐ Fuses
Comments: _____
Solar Panels: ☐ Leased ☐ Owned If leased, explain terms of agreement: _____
Comments: _____
- p. Modifications: Are you aware of any modifications or repairs made without the necessary permits? ☐ Yes ☒ No
If Yes, please explain: _____
- q. Pest Infestation: Are you aware of any past or present pest infestations? ☐ Yes ☒ No Type: _____
Comments: _____
- r. Methamphetamine Production Do you have knowledge of methamphetamine production ever occurring on the property?
(Per RSA 477:4-g) ☒ Yes ☐ No If YES, please explain: _____
- s. Air Conditioning Type: CENTRAL Age: 5 Date Last Serviced and by whom: 2021
Comments: _____
- t. Pool Age: N/A Heated: ☐ Yes ☐ No Type: _____ Last Date of Service: _____
By Whom: _____
- u. Generator Portable: ☐ Yes ☒ No Whole House: ☐ Yes ☒ No Kw/Size: _____ Last Date of Service: _____
If Portable: ☐ Included ☐ Negotiable
Comments: N/A
- v. Internet Type Currently Used at Property: FIBER
- w. Other (e.g. Alarm System, Irrigation System, etc.) N/A
Comments: _____

NOTICE TO PURCHASER(S): PRIOR TO SETTLEMENT YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO ADJACENT PARCELS IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS MAY BE CONTAINED IN PURCHASE AND SALES AGREEMENT AND DEPOSIT RECEIPT. YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO INFORMATION ON ANY SEXUAL OFFENDERS REGISTERED UNDER NH RSA CHAPTER 651-B. SUCH INFORMATION MAY BE OBTAINED BY CONTACTING THE LOCAL POLICE DEPARTMENT.

SELLER(S) INITIALS

ES EV

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 274 Old Goshen Road, Conway, NH 03813

10. ADDITIONAL INFORMATION

a. ATTACHMENT EXPLAINING CURRENT PROBLEMS, PAST REPAIRS, OR ADDITIONAL INFORMATION?

☒ Yes ☐ No

b. ADDITIONAL COMMENTS:

Roof storm damage Feb 2024 GEICO Homeowners Replaced
Front Living Room Section

ACKNOWLEDGEMENTS:

SELLER ACKNOWLEDGES THAT HE/SHE HAS PROVIDED THE ABOVE INFORMATION AND THAT SUCH INFORMATION IS ACCURATE, TRUE AND COMPLETE TO THE BEST OF HIS/HER KNOWLEDGE. SELLER AUTHORIZES THE LISTING BROKER TO DISCLOSE THE INFORMATION CONTAINED HEREIN TO OTHER BROKERS AND PROSPECTIVE PURCHASERS.

SELLER(S) MAY BE RESPONSIBLE AND LIABLE FOR ANY FAILURE TO PROVIDE KNOWN INFORMATION TO BUYER(S).

Edward Shadron 6-22-26
SELLER DATE

Frank Vero 6-22-26
SELLER DATE

BUYER ACKNOWLEDGES RECEIPT OF THIS PROPERTY DISCLOSURE RIDER AND HEREBY UNDERSTANDS THE PRECEDING INFORMATION WAS PROVIDED BY SELLER AND IS NOT GUARANTEED BY BROKER/AGENT. THIS DISCLOSURE STATEMENT IS NOT A REPRESENTATION, WARRANTY OR GUARANTY AS TO THE CONDITION OF THE PROPERTY BY EITHER SELLER OR BROKER. BUYER IS ENCOURAGED TO UNDERTAKE HIS/HER OWN INSPECTIONS AND INVESTIGATIONS VIA LEGAL COUNSEL, HOME, STRUCTURAL OR OTHER PROFESSIONAL AND QUALIFIED ADVISORS AND TO INDEPENDENTLY VERIFY INFORMATION DIRECTLY WITH THE TOWN OR MUNICIPALITY.

BUYER DATE

BUYER DATE

SELLER(S) INITIALS

ES FV

BUYER(S) INITIALS

