

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

The following answers and explanations are true and complete to the best of SELLER'S knowledge. This statement has been prepared to assist prospective BUYERS in evaluating SELLER'S property. This disclosure is not a warranty of any kind by the SELLER, or any real estate FIRM representing the SELLER, and is not a substitute for any inspection by the BUYER. SELLERS authorize FIRM in this transaction to disclose the information in this statement to other real estate agents and to prospective buyers of this property.

NOTICE TO SELLER(S): COMPLETE ALL INFORMATION AND STATE NOT APPLICABLE OR UNKNOWN AS APPROPRIATE. IF ANY OF THE INFORMATION IN THIS PROPERTY DISCLOSURE FORM CHANGES FROM THE DATE OF COMPLETION, YOU ARE TO NOTIFY THE LISTING FIRM PROMPTLY IN WRITING.

1. **SELLER:** Nicole Swartz and Brandon Swartz
2. **PROPERTY LOCATION:** 65 Garmish Rd Conway NH
3. **CONDOMINIUM, CO-OP, PUD DISCLOSURE RIDER OR MULTIFAMILY DISCLOSURE RIDER ATTACHED?** ☐ Yes ☐ No

4. **SELLER:** ☒ has ☐ has not occupied the property for 4 years.

5. WATER SUPPLY

Please answer all questions regardless of type of water supply.

a. **TYPE OF SYSTEM:** ☒ Public ☐ Private ☐ Seasonal ☐ Unknown
☐ Drilled ☐ Dug ☒ Other Community water system through RMPDA

b. **INSTALLATION: Location:** _____
Installed By: _____ Date of Installation: _____
What is the source of your information? Contact Rock House Mountain HOA

c. **USE:** Number of persons currently using the system: _____
Does system supply water for more than one household? ☐ Yes ☐ No

d. **MALFUNCTIONS:** Are you aware of or have you experienced any malfunctions with the (public/private/other) water systems?
Pump: ☐ Yes ☐ No ☐ N/A Quantity: ☐ Yes ☐ No
Quality: ☐ Yes ☐ No ☐ Unknown
If YES to any question, please explain in Comments below or with attachment.

e. **WATER TEST:** Have you had the water tested? ☒ Yes ☐ No Date of most recent test _____
If YES to any question, please explain in Comments below or with attachment.
Are you aware of any test results reported as unsatisfactory or satisfactory with notations? ☐ Yes ☐ No
If YES, are test results available? ☒ Yes ☐ No
What steps were taken to remedy the problem? _____
COMMENTS:

All information on system can be found on NH DES Onestop website

6. SEWAGE DISPOSAL SYSTEM

a. **TYPE OF SYSTEM:** Public: ☐ Yes ☐ No Community/Shared: ☐ Yes ☐ No
Private: ☒ Yes ☐ No ☐ Unknown
Septic Design Available: ☐ Yes ☐ No

b. **IF PUBLIC OR COMMUNITY/SHARED**
Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No
What steps were taken to remedy the problem? _____

c. **IF PRIVATE:**
TANK: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Unknown ☐ Other _____
Tank Size 1000 Gal. ☐ Unknown ☐ Other _____
Tank Type ☒ Concrete ☐ Metal ☐ Unknown ☐ Other _____
Location: Between driveway + home ☐ Location Unknown. Date of Installation: 2005
Date of Last Servicing: 5/2026 Name of Company Servicing Tank: Turner Septic
Have you experienced any malfunctions? ☐ Yes ☒ No
COMMENTS: Recommended next service in 3 years by Turner Septic

SELLER(S) INITIALS

BS NS

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 65 Garmish Rd Conway NH

d. LEACH FIELD: ☒ Yes ☐ No ☐ Other _____

IF YES, Location: Front yard between driveway + prop. line Size: _____ ☐ Unknown

Date of installation of leach field: 2005 Installed By: _____

Have you experienced any malfunctions? ☐ Yes ☒ No

Comments: _____

e. IS SYSTEM LOCATED ON "DEVELOPED WATERFRONT" as described in RSA 485-A? ☐ Yes ☒ No ☐ Unknown

IF YES, has a septic system evaluation been done within 180 days? ☐ Yes ☐ No ☐ Unknown

Date of Evaluation: _____

Comments: _____

FOR ADDITIONAL INFORMATION THE BUYER IS ENCOURAGED TO CONTACT THE NH DEPARTMENT OF ENVIRONMENTAL SERVICES SUBSURFACE SYSTEMS BUREAU, 603-271-3501

7. <u>INSULATION</u>	<u>LOCATION</u>	<u>Yes</u>	<u>No</u>	<u>Unknown</u>	<u>If YES, Type</u>	<u>Amount</u>	<u>Unknown</u>
	Attic or Cap	☒	☐	☐			☒
	Crawl Space	☐	☒	☐			☐
	Exterior Walls	☒	☐	☐	<u>Fiberglass</u>	<u>Unknown</u>	☐
	Floors	☐	☒	☐			☐
	<u>Mud room (Walls, Floor, Ceiling)</u>	☒	☐	☐	<u>Fiberglass</u>		☐

8. HAZARDOUS MATERIAL

a. UNDERGROUND STORAGE TANKS - Current or previously existing:

Are you aware of any past or present underground storage tanks on your property? ☐ Yes ☒ No ☐ Unknown

IF YES: Are tanks currently in use? ☐ Yes ☐ No

IF NO: How long have tank(s) been out of service? _____

What materials are, or were, stored in the tank(s)? _____

Age of tank(s): _____ Size of tank(s): _____

Location: _____

Are you aware of any past or present problems such as leakage, etc? ☐ Yes ☐ No

Comments: _____

If tanks are no longer in use, have the tanks been removed? ☐ Yes ☐ No ☐ Unknown

Comments: _____

b. ASBESTOS - Current or previously existing:

As insulation on the heating system pipes or ducts? ☐ Yes ☒ No ☐ Unknown

In the siding? ☐ Yes ☐ No ☐ Unknown

In the roofing shingles? ☐ Yes ☐ No ☐ Unknown

In flooring tiles? ☐ Yes ☐ No ☐ Unknown

Other ☐ Yes ☐ No ☐ Unknown

If YES, Source of information: _____

Comments: _____

c. RADON/AIR - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If YES: Date: _____ By: _____

Results: _____ If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No

Are test results available? ☐ Yes ☐ No

Comments: _____

SELLER(S) INITIALS

BS / NS

BUYER(S) INITIALS

____ / ____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 65 Garmish Rd Conway NH

d. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☐ No ☐ Unknown

If YES: Date: _____ By: _____

Results: _____ If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No

Are test results available? ☐ Yes ☐ No Comments: _____

e. LEAD-BASED PAINT - Current or previously existing:

Are you aware of lead-based paint on this property? ☐ Yes ☒ No

If YES: Source of information: _____

Are you aware of any cracking, peeling, or flaking lead-based paint? ☐ Yes ☐ No

Comments: _____

f. Are you aware of any other hazardous materials? ☐ Yes ☒ No

If YES: Source of information: _____

Comments: _____

9. GENERAL INFORMATION

a. Is this property subject to liens, encroachments, easements, rights-of-way, leases, restrictive covenants, attachments, life estates, or right of first refusal?

☐ Yes ☐ No ☐ Unknown If YES, Explain: _____

What is your source of information? _____

b. Is this property subject to special assessments, betterment fees, association fees, or any other transferable fees?

☒ Yes ☐ No ☐ Unknown If YES, Explain: Currently \$475 per quarter for road maint. + water use

What is your source of information? _____

c. Are you aware of any onsite landfills or any other factors, such as soil, flooding, drainage, etc?

☐ Yes ☒ No If YES, Explain: _____

d. Are you aware of any problems with other buildings on the property?

☐ Yes ☒ No If YES, Explain: _____

e. Are you receiving a tax exemption or reduction for this property for any reason including but not limited to current use, land conservation, etc.?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

f. Is this property located in a Federally Designated Flood Hazard Zone?

☐ Yes ☒ No ☐ Unknown Comments: _____

g. Has the property been surveyed?

☐ Yes ☐ No ☐ Unknown If YES, By: _____

If YES, is survey available? ☐ Yes ☐ No ☐ Unknown

h. How is the property zoned? Residential

i. Heating System Age: 2005/06 Type: Forced Air Fuel: Propane Tank Location: Between shed + front

Owner of Tank: Amerigas corner of house

Annual Fuel Consumption: _____ Price: _____ Gallons: _____

Date system was last serviced and by whom? Regularly inspected upon fill / Tank is underground

Secondary Heat Systems: Infrared wall heater in mudroom

Comments: _____

j. Roof Age: 2005 Type of Roof Covering: Asphalt Shingle

Moisture or leakage: _____

Comments: _____

SELLER(S) INITIALS

BS, NS

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 65 Garmish Rd Conway NH

- k. Foundation/Basement ☒ Full ☐ Partial ☐ Other: ☒ Type: Finished
Moisture or leakage: Foundation joint drain system, pit, + sump pump installed in 2024
Comments:
- l. Chimney(s) How Many? None Lined? Last Cleaned: Problems?
Comments:
- m. Plumbing Type: Pex Age: 2005
Comments:
- n. Domestic Hot Water Age: New in 2024 Type: On Demand Tankless Gallons:
- o. Electrical System # of Amps 200 ☒ Circuit Breakers ☐ Fuses
Comments:
Solar Panels: ☐ Leased ☐ Owned If leased, explain terms of agreement:
Comments:
- p. Modifications: Are you aware of any modifications or repairs made without the necessary permits? ☐ Yes ☒ No
If Yes, please explain:
- q. Pest Infestation: Are you aware of any past or present pest infestations? ☐ Yes ☒ No Type:
Comments: Used exterminator to spray yard annually, some ants/spiders
- r. Methamphetamine Production Do you have knowledge of methamphetamine production ever occurring on the property?
(Per RSA 477:4-g) ☐ Yes ☒ No If YES, please explain:
- s. Air Conditioning Type: None Age: Date Last Serviced and by whom:
Comments: Use window units in bedrooms
- t. Pool Age: Heated: ☐ Yes ☐ No Type: Last Date of Service:
By Whom:
- u. Generator Portable: ☐ Yes ☐ No Whole House: ☐ Yes ☐ No Kw/Size: Last Date of Service:
If Portable: ☐ Included ☐ Negotiable
Comments:
- v. Internet Type Currently Used at Property: Fiber (Fibrium) + Cable (Spectrum) both available
- w. Other (e.g. Alarm System, Irrigation System, etc.) Ring flood light + door bell
Comments:

NOTICE TO PURCHASER(S): PRIOR TO SETTLEMENT YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO ADJACENT PARCELS IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS MAY BE CONTAINED IN PURCHASE AND SALES AGREEMENT AND DEPOSIT RECEIPT. YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO INFORMATION ON ANY SEXUAL OFFENDERS REGISTERED UNDER NH RSA CHAPTER 651-B. SUCH INFORMATION MAY BE OBTAINED BY CONTACTING THE LOCAL POLICE DEPARTMENT.

SELLER(S) INITIALS

BS, NS

BUYER(S) INITIALS

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: _____

10. ADDITIONAL INFORMATION

a. ATTACHMENT EXPLAINING CURRENT PROBLEMS, PAST REPAIRS, OR ADDITIONAL INFORMATION?

☐ Yes ☐ No


b. ADDITIONAL COMMENTS:


See Attached

ACKNOWLEDGEMENTS:

SELLER ACKNOWLEDGES THAT HE/SHE HAS PROVIDED THE ABOVE INFORMATION AND THAT SUCH INFORMATION IS ACCURATE, TRUE AND COMPLETE TO THE BEST OF HIS/HER KNOWLEDGE. SELLER AUTHORIZES THE LISTING BROKER TO DISCLOSE THE INFORMATION CONTAINED HEREIN TO OTHER BROKERS AND PROSPECTIVE PURCHASERS.

SELLER(S) MAY BE RESPONSIBLE AND LIABLE FOR ANY FAILURE TO PROVIDE KNOWN INFORMATION TO BUYER(S).

 7/18/2026
SELLER DATE

 7-18-26
SELLER DATE

BUYER ACKNOWLEDGES RECEIPT OF THIS PROPERTY DISCLOSURE RIDER AND HEREBY UNDERSTANDS THE PRECEDING INFORMATION WAS PROVIDED BY SELLER AND IS NOT GUARANTEED BY BROKER/AGENT. THIS DISCLOSURE STATEMENT IS NOT A REPRESENTATION, WARRANTY OR GUARANTY AS TO THE CONDITION OF THE PROPERTY BY EITHER SELLER OR BROKER. BUYER IS ENCOURAGED TO UNDERTAKE HIS/HER OWN INSPECTIONS AND INVESTIGATIONS VIA LEGAL COUNSEL, HOME, STRUCTURAL OR OTHER PROFESSIONAL AND QUALIFIED ADVISORS AND TO INDEPENDENTLY VERIFY INFORMATION DIRECTLY WITH THE TOWN OR MUNICIPALITY.

BUYER DATE

BUYER DATE

SELLER(S) INITIALS

BS NS

BUYER(S) INITIALS

_____/____/____

- Installed Basement Drain, Pit, and Sump Pump
- Created Insulated Mudroom with LVP Flooring and Storage
- Added Additional Gravel Parking Area for Camper/Trailer
- 12'x16' Shed -- from Hillview Mini Barns
- Installed Rinnai On-demand Water Heater
- New Samsung Black Stainless Kitchen Appliances
- Stamped Concrete Patio
- Renovated Basement with LVP Flooring, Custom Kid's loft, Mt Washington Topographic wall, Beverage Fridge, and Storage Entertainment Center
- Drip Edge Drainage
- New Carpet in 2026
- LED Lighting Throughout
- New Dining Light
- Ceiling Fans in Bedrooms
- Removed Failing Deck and Reinforced Existing Deck
- Fresh Paint Throughout
- New Doorknobs
- Customizable Wire Shelf System in All Bedroom Closets
- RV Septic Dump Station