

THAT THE RATIO OF PRECISION AS CALCULATED IS 1:10,000+
THAT THIS PLAT WAS PREPARED IN ACCORDANCE WITH G.S. 47-30
AS AMENDED, WITNESS MY ORIGINAL SIGNATURE, REGISTRATION
NUMBER AND SEAL THIS 11 DAY OF April, A.D., 1992

[Signature]

REG. NO. 4451

NORTH CAROLINA, _____ COUNTY.
I, A NOTARY PUBLIC OF THE COUNTY AND STATE AFORESAID,
CERTIFY THAT LARRY TURLINGTON, A REGISTERED LAND SURVEYOR,
PERSONALLY APPEARED BEFORE ME THIS DAY AND ACKNOWLEDGED
THE EXECUTION OF THE FOREGOING INSTRUMENT. WITNESS MY
HAND AND OFFICIAL STAMP OR SEAL THIS _____ DAY
OF _____, A.D., 19____.

MY COMMISSION EXPIRES _____

LEGEND:

- EXISTING IRON PIPE (EIP) OR IRON STAKE (EIS)
- IRON PIPE SET (IPS) OR IRON STAKE SET (IS)
- ▲ EXISTING CONCRETE MONUMENT (ECM) OR GOVERNMENT MONUMENT (GCM)
- POINT
- PKS P.K. NAIL SET
- CUL DRAINAGE CULVERT
- POWER POLE OR TELEPHONE POLE
- OVERHEAD POWER LINE(S)
- OVERHEAD TELEPHONE LINE(S)
- FENCE LINE
- CREEK OR BRANCH
- TOP OF RIDGE
- WELL

NOTES:

- () THIS SURVEY CREATES A SUBDIVISION OF LAND WITHIN THE AREA OF A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES PARCELS OF LAND.
- () THIS SURVEY IS LOCATED IN SUCH PORTION OF A COUNTY OR MUNICIPALITY THAT IS UNREGULATED AS TO AN ORDINANCE THAT REGULATES PARCELS OF LAND.
- (✓) THIS SURVEY IS OF AN EXISTING PARCEL OR PARCELS OF LAND.
- () THIS SURVEY IS OF ANOTHER CATEGORY, SUCH AS THE RECOMBINATION OF EXISTING PARCELS, A COURT-ORDERED SURVEY, OR OTHER EXCEPTION TO THE DEFINITION OF SUBDIVISION.
- () THE INFORMATION AVAILABLE TO THIS SURVEYOR IS SUCH THAT I AM UNABLE TO MAKE A DETERMINATION TO THE BEST OF MY PROFESSIONAL ABILITY AS TO PROVISIONS CONTAINED ABOVE.

NO TITLE REPORT WAS PROVIDED FOR THIS SURVEY. EASEMENTS OR OTHER MATTERS AFFECTING THE USE OF THIS PROPERTY NOT SHOWN HEREON, MAY EXIST IN THE PUBLIC RECORDS OF THIS COUNTY. THIS SURVEY PLAT REFLECTS ONLY WHAT WAS OBSERVED ON THE GROUND, AND DOES NOT DEPICT UNUSED EASEMENTS, UNDERGROUND UTILITIES, OR OTHER SUBSURFACE INSTALLATIONS WHICH MAY EXIST.

NO HORIZONTAL CONTROL MONUMENTS EXIST WITHIN 2000 FEET OF SITE.

JAMES C. WILLIAMSON
DEED BOOK D-21, PAGE 1331

RICHARD FLOYD
DEED BOOK B-20, PAGE 2451

RICHARD C. ENTORF, ET AL.
DEED BOOK J-19, PAGE 408

CHARLES W. HAAS
DEED BOOK O-19, PAGE 2173

5.05 ACRES
BY COMPUTER COORDINATES

WILLIAM F. TALBOT
DEED BOOK A-17, PAGE 51


40.04 ACRES
BY COMPUTER COORDINATES

CHARLES W. HAAS
DEED BOOK O-6, PAGE 91


LINE	DIRECTION	DISTANCE
L1	S77°04'17"E	96.71'
L2	S85°58'16"E	49.94'
L3	N88°27'17"W	74.49'
L4	S69°45'48"W	34.81'
L5	N71°57'39"W	77.04'
L6	S89°41'21"W	100.03'
L7	N73°59'39"W	53.19'
L8	N04°58'21"E	22.88'

CURVE	RADIUS	LENGTH	CHORD	BEARING
C1	250.00'	134.01'	133.99'	S89°34'35"W
C2	280.00'	49.72'	49.65'	S82°31'14"W
C3	143.25'	83.84'	82.64'	S60°40'03"W

GRAPHIC SCALE



(IN FEET)
1 inch = 100 ft.



VICINITY MAP