



DISCLOSURE STATEMENT: SELLER'S DISCLOSURE ALTERNATIVES

This form is approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form.
© 2024 Minnesota Association of REALTORS®

1. Date September 27th, 2026
2. Page 1 of _____ pages: RECORDS AND
3. REPORTS, IF ANY, ARE ATTACHED AND MADE A
4. PART OF THIS DISCLOSURE.

5. Property located at 2495 Willow Dr,
6. City of Medina, County of Hennepin,
7. State of Minnesota, Zip Code 55340 ("Property").

8. **NOTICE:** Sellers of residential property, with limited exceptions, are obligated to satisfy the requirements of MN Statutes
9. 513.52 through 513.60. To comply with the statute, Seller must provide either a written disclosure to the
10. prospective Buyer (see *Disclosure Statement: Seller's Property Disclosure Statement*) or satisfy one of the
11. following two options. Disclosures made here, if any, are not a warranty or guarantee of any kind by Seller or
12. licensee(s) representing or assisting any party in this transaction and are not a substitute for any inspections or
13. warranties the party(ies) may wish to obtain.

14. **(Select one option only.)**

15. 1) ☐ **QUALIFIED THIRD-PARTY INSPECTION:** Seller shall provide to prospective Buyer a written report that
16. discloses material information relating to the real Property that has been prepared by a qualified third party.
17. "Qualified third party" means a federal, state, or local governmental agency, or any person whom Seller or
18. prospective Buyer reasonably believes has the expertise necessary to meet the industry standards of practice
19. for the type of inspection or investigation that has been conducted by the third party in order to prepare the
20. written report.

21. **Seller shall disclose to prospective Buyer material facts known by Seller that contradict any information**
22. **that is included in a written report, or material facts known by Seller that are not included in the**
23. **report.**

24. The inspection report was prepared by _____
25. _____, and dated _____.

26. Seller discloses to Buyer the following material facts known by Seller that contradict any information included
27. in the above referenced inspection report.

28.
29.
30.
31. Seller discloses to Buyer the following material facts known by Seller that are not included in the above
32. referenced inspection report.

33.
34.
35.

36. 2) ☒ **WAIVER:** The written disclosure required may be waived if Seller and prospective Buyer agree in writing.
37. Seller and Buyer hereby waive the written disclosure required under MN Statutes 513.52 through 513.60.

38. **NOTE:** If both Seller and prospective Buyer agree, in writing, to waive the written disclosure required under
39. MN Statutes 513.52 through 513.60, Seller is not obligated to disclose ANY material facts of which Seller
40. is aware that could adversely and significantly affect the Buyer's use or enjoyment of the Property or any
41. intended use of the Property, other than those disclosure requirements created by any other law.
42. Seller is not obligated to update Buyer on any changes made to material facts of which Seller is aware that could
43. adversely and significantly affect the Buyer's use or enjoyment of the Property or any intended use of the
44. Property that occur, other than those disclosure requirements created by any other law.

45. **Waiver of the disclosure required under MN Statutes 513.52 through 513.60 does not waive, limit, or**
46. **abridge any obligation for Seller disclosure created by any other law.**

**DISCLOSURE STATEMENT:
SELLER'S DISCLOSURE ALTERNATIVES**

47. Page 2

48. Property located at 2495 Willow Dr Medina MN 55340

49. **OTHER REQUIRED DISCLOSURES:**

50. **NOTE:** In addition to electing one of the above alternatives to the material fact disclosure, Minnesota law also
51. requires sellers to provide other disclosures to prospective buyers, such as those disclosures listed below.
52. Additionally, there may be other required disclosures by federal, state, local, or other governmental entities
53. that are not listed below.

54. **A. SUBSURFACE SEWAGE TREATMENT SYSTEM DISCLOSURE:** (A subsurface sewage treatment system
55. disclosure is required by MN Statute 115.55.) (Check appropriate box.)

56. Seller ☒ **DOES** ☐ **DOES NOT** know of a subsurface sewage treatment system on or serving the above-described
57. real Property. (If answer is **DOES**, and the system does not require a state permit, see *Disclosure Statement:*
58. *Subsurface Sewage Treatment System*.)

59. ☒ There is a subsurface sewage treatment system on or serving the above-described real Property.
60. (See *Disclosure Statement: Subsurface Sewage Treatment System*.)

61. ☐ There is an abandoned subsurface sewage treatment system on the above-described real Property.
62. (See *Disclosure Statement: Subsurface Sewage Treatment System*.)

63. **B. PRIVATE WELL DISCLOSURE:** (A well disclosure and Certificate are required by MN Statute 103I.235.)
64. (Check appropriate box(es).)

65. ☐ Seller does not know of any wells on the above-described real Property.

66. ☒ There are one or more wells located on the above-described real Property. (See *Disclosure Statement: Well*.)

67. ☐ This Property is in a Special Well Construction Area.

68. ☐ There are wells serving the above-described Property that are not located on the Property.

69. Comments:

70.

71.

72. **C. FOREIGN INVESTMENT IN REAL PROPERTY TAX ACT ("FIRPTA"):** Section 1445 of the Internal Revenue Code
73. provides that a transferee ("Buyer") of a United States real property interest must be notified in writing and must
74. withhold tax if the transferor ("Seller") is a foreign person and no exceptions from FIRPTA withholding apply.

75. Seller represents that Seller ☐ **IS** ☒ **IS NOT** a foreign person (i.e., a non-resident alien individual, foreign corporation,
76. foreign partnership, foreign trust, or foreign estate) for purposes of income taxation. This representation shall
77. survive the closing of any transaction involving the Property described here.

78. **NOTE:** If the above answer is "**IS**," Buyer may be subject to income tax withholding in connection with the
79. transaction (unless the transaction is covered by an applicable exception to FIRPTA withholding). In
80. non-exempt transactions, Buyer may be liable for the tax if Buyer fails to withhold.

81. If the above answer is "**IS NOT**," Buyer may wish to obtain specific documentation from Seller ensuring
82. Buyer is exempt from the withholding requirements as prescribed under Section 1445 of the Internal
83. Revenue Code.

84. Due to the complexity and potential risks of failing to comply with FIRPTA, including Buyer's responsibility
85. for withholding the applicable tax, Buyer and Seller should **seek appropriate legal and tax advice regarding**
86. **FIRPTA compliance, as the respective licensees representing or assisting either party will be unable to**
87. **assure either party whether the transaction is exempt from the FIRPTA withholding requirements.**

**DISCLOSURE STATEMENT:
SELLER'S DISCLOSURE ALTERNATIVES**

88. Page 3

89. Property located at 2495 Willow Dr Medina MN 55340

90. **D. METHAMPHETAMINE PRODUCTION DISCLOSURE:**

91. (A methamphetamine production disclosure is required by MN Statute 152.0275, Subd. 2 (m).)

92. ☒ Seller is not aware of any methamphetamine production that has occurred on the Property.

93. ☐ Seller is aware that methamphetamine production has occurred on the Property.

94. (See *Disclosure Statement: Methamphetamine Production*.)

95. **E. RADON DISCLOSURE:**

96. (The following Seller disclosure satisfies MN Statute 144.496.)

97. **RADON WARNING STATEMENT:** The Minnesota Department of Health strongly recommends that ALL
98. homebuyers have an indoor radon test performed prior to purchase or taking occupancy, and recommends
99. having the radon levels mitigated if elevated radon concentrations are found. Elevated radon concentrations can
100. easily be reduced by a qualified, certified, or licensed, if applicable, radon mitigator.

101. Every buyer of any interest in residential real property is notified that the property may present exposure to
102. dangerous levels of indoor radon gas that may place occupants at risk of developing radon-induced lung cancer.
103. Radon, a Class A human carcinogen, is the leading cause of lung cancer in nonsmokers and the second leading
104. cause overall. The seller of any interest in residential real property is required to provide the buyer with any
105. information on radon test results of the dwelling.

106. **RADON IN REAL ESTATE:** By signing this Statement, Buyer hereby acknowledges receipt of the Minnesota
107. Department of Health's publication entitled ***Radon in Real Estate Transactions***, which is attached hereto and
108. can be found at www.health.state.mn.us/communities/environment/air/radon/radonre.html.

109. A seller who fails to disclose the information required under MN Statute 144.496, and is aware of material facts
110. pertaining to radon concentrations in the Property, is liable to the Buyer. A buyer who is injured by a violation of MN
111. Statute 144.496 may bring a civil action and recover damages and receive other equitable relief as determined by
112. the court. Any such action must be commenced within two years after the date on which the buyer closed the
113. purchase or transfer of the real Property.

114. **SELLER'S REPRESENTATIONS:** The following are representations made by Seller to the extent of Seller's actual
115. knowledge.

116. (a) Radon test(s) ☐ HAVE ☒ HAVE NOT occurred on the Property.

------(Check one.)-----

117. (b) Describe any known radon concentrations, mitigation, or remediation. **NOTE:** Seller shall attach the most
118. current records and reports pertaining to radon concentration within the dwelling:

119.

120.

121.

122. (c) There ☐ IS ☒ IS NOT a radon mitigation system currently installed on the Property.

------(Check one.)-----

123. If "IS," Seller shall disclose, if known, information regarding the radon mitigation system, including system
124. description and documentation.

125.

126.

127.

128. **F. CHRONIC WASTING DISEASE IN CERVIDAE** (The following Seller disclosure satisfies MN Statute 35.155, Subd. 11(d).)

129. Has Chronic Wasting Disease been detected on the Property?

☐ YES ☒ NO

130. If Yes, see *Disclosure Statement: Chronic Wasting Disease*.

------(Check one.)-----

**DISCLOSURE STATEMENT:
SELLER'S DISCLOSURE ALTERNATIVES**

131. Page 4

132. Property located at 2495 Willow Dr Medina MN 55340
133. **G. CEMETERY ACT:** The following questions are to be answered to the best of Seller's knowledge.
134. MN Statute 307.08 prohibits any damage or illegal molestation of human remains, burials or cemeteries. A
135. person who intentionally, willfully and knowingly destroys, mutilates, injures, disturbs, or removes human skeletal
136. remains or human burial grounds is guilty of a felony.
137. Are you aware of any human remains, burials, or cemeteries located on the Property? ☐ Yes ☒ No
138. If "Yes," please explain: _____
139. All unidentified human remains or burials found outside of platted, recorded or identified cemeteries and in
140. contexts which indicate antiquity greater than 50 years shall be dealt with according to the provisions of MN
141. Statute 307.08, Subd. 7.
142. **H. NOTICE REGARDING AIRPORT ZONING REGULATIONS:** The Property may be in or near an airport safety zone
143. with zoning regulations adopted by the governing body that may affect the Property. Such zoning regulations are
144. filed with the county recorder in each county where the zoned area is located. If you would like to determine if such
145. zoning regulations affect the Property, you should contact the county recorder where the zoned area is located.
146. **I. NOTICE REGARDING CARBON MONOXIDE DETECTORS:**
147. MN Statute 299F.51 requires Carbon Monoxide Detectors to be located within ten (10) feet from all sleeping
148. rooms. Carbon Monoxide Detectors may or may not be personal property and may or may not be included in the
149. sale of the home.
150. **J. WATER INTRUSION AND MOLD GROWTH:** Studies have shown that various forms of water intrusion affect many
151. homes. Water intrusion may occur from exterior moisture entering the home and/or interior moisture leaving the
152. home.
153. Examples of exterior moisture sources may be
154. • improper flashing around windows and doors,
155. • improper grading,
156. • flooding,
157. • roof leaks.
158. Examples of interior moisture sources may be
159. • plumbing leaks,
160. • condensation (caused by indoor humidity that is too high or surfaces that are too cold),
161. • overflow from tubs, sinks, or toilets,
162. • firewood stored indoors,
163. • humidifier use,
164. • inadequate venting of kitchen and bath humidity,
165. • improper venting of clothes dryer exhaust outdoors (including electrical dryers),
166. • line-drying laundry indoors,
167. • houseplants—watering them can generate large amounts of moisture.
168. In addition to the possible structural damage water intrusion may do to the Property, water intrusion may also result
169. in the growth of mold, mildew, and other fungi. Mold growth may also cause structural damage to the Property.
170. Therefore, it is very important to detect and remediate water intrusion problems.
171. Fungi are present everywhere in our environment, both indoors and outdoors. Many molds are beneficial to humans.
172. However, molds have the ability to produce mycotoxins that may have a potential to cause serious health problems,
173. particularly in some immunocompromised individuals and people who have asthma or allergies to mold.
174. To complicate matters, mold growth is often difficult to detect, as it frequently grows within the wall structure. If you
175. have a concern about water intrusion or the resulting mold/mildew/fungi growth, you may want to consider having
176. the Property inspected for moisture problems before entering into a purchase agreement or as a condition of your
177. purchase agreement. Such an analysis is particularly advisable if you observe staining or any musty odors on the
178. Property.

**DISCLOSURE STATEMENT:
SELLER'S DISCLOSURE ALTERNATIVES**

179. Page 5

180. Property located at 2495 Willow Dr Medina MN 55340

181. **K. NOTICE REGARDING PREDATORY OFFENDER INFORMATION:** Information regarding the predatory
182. offender registry and persons registered with the predatory offender registry under MN Statute 243.166
183. may be obtained by contacting the local law enforcement offices in the community where the property is
184. located or the Minnesota Department of Corrections at (651) 361-7200, or from the Department of Corrections
185. web site at <https://coms.doc.state.mn.us/publicregistrantsearch>.

186. **L. SELLER'S STATEMENT:**

187. *(To be signed at time of listing.)*

188. Seller(s) hereby authorizes any licensee(s) representing or assisting any party(ies) in this transaction to provide
189. a copy of this Disclosure Statement to any person or entity in connection with any actual or anticipated sale of the
190. Property. A seller may provide this Disclosure Statement to a real estate licensee representing or assisting a
191. prospective buyer. The Disclosure Statement provided to the real estate licensee representing or assisting a
192. prospective buyer is considered to have been provided to the prospective buyer. If this Disclosure Statement is
193. provided to the real estate licensee representing or assisting the prospective buyer, the real estate licensee must
194. provide a copy to the prospective buyer.

195. **QUALIFIED THIRD-PARTY INSPECTION:** If Seller has made a disclosure under the Qualified Third-Party
196. Inspection, Seller is obligated to disclose to Buyer in writing of any new or changed facts of which Seller is aware
197. that could adversely and significantly affect the Buyer's use or enjoyment of the Property or any intended use of
198. the Property that occur up to the time of closing. To disclose new or changed facts, please use the *Amendment*
199. *to Disclosure Statement* form.

200. **WAIVER:** If Seller and Buyer agree to waive the seller disclosure requirement, Seller is NOT obligated to disclose
201. and will NOT disclose any new or changed information regarding facts.

202. **OTHER REQUIRED DISCLOSURES (Sections A-F):** Whether Seller has elected a Qualified-Third Party Inspection
203. or Waiver, Seller is obligated to notify Buyer, in writing, of any new or changed facts regarding Other Required
204. Disclosures up to the time of closing. To disclose new or changed facts, please use the *Amendment to Seller's*
205. *Disclosure* form.

206.  09/27/2026
(Seller) (Date)

 09/27/2026
(Seller) (Date)

207. **M. BUYER'S ACKNOWLEDGEMENT:**

208. *(To be signed at time of purchase agreement.)*

209. I/We, the Buyer(s) of the Property, acknowledge receipt of this *Seller's Disclosure Alternatives* form and agree to
210. the seller's disclosure option selected in this form. I/We further agree that no representations regarding facts have
211. been made, other than those made in this form. This Disclosure Statement is not a warranty or a guarantee of
212. any kind by Seller or licensee representing or assisting any party in the transaction and is not a suitable substitute
213. for any inspections or warranties the party(ies) may wish to obtain.

214. The information disclosed is given to the best of the Seller's knowledge.

215. _____ (Buyer) _____ (Date) _____ (Buyer) _____ (Date)

216. **LISTING BROKER AND LICENSEES MAKE NO REPRESENTATIONS HERE AND ARE**
217. **NOT RESPONSIBLE FOR ANY CONDITIONS EXISTING ON THE PROPERTY.**

Radon in Real Estate Transactions

All Minnesota homes can have dangerous levels of radon gas. Radon is a colorless and odorless gas that comes from the soil. The gas can accumulate in the home. When inhaled, its radioactive particles can damage the lungs. Long-term exposure to radon can lead to lung cancer. About 21,000 lung cancer deaths each year in the United States are caused by radon.

The only way to know how much radon gas has entered the home is to conduct a radon test. MDH estimates 2 in 5 homes exceed the 4.0 pCi/L (picocuries per liter) action level. Whether a home is old or new, any home can have high levels of radon.

The purpose of this publication is to educate and inform potential home buyers of the risks of radon exposure, and how to test for and reduce radon as part of real estate transactions.

Disclosure Requirements

Effective January 1, 2014, the Minnesota Radon Awareness Act requires specific disclosure and education be provided to potential home buyers during residential real estate transactions in Minnesota.

Before signing a purchase agreement to sell or transfer residential real property, the seller shall provide this publication and shall disclose in writing to the buyer:

1. **whether a radon test or tests have occurred on the property**
2. **the most current records and reports pertaining to radon concentrations within the dwelling**
3. **a description of any radon levels, mitigation, or remediation**
4. **information on the radon mitigation system, if a system was installed**
5. **a radon warning statement**

Radon Facts

How dangerous is radon? Radon is the number one cause of lung cancer in nonsmokers, and the second leading cause overall. Your risk for lung cancer increases with higher levels of radon, prolonged exposure, and whether or not you are a current smoker or former smoker.

Where is your greatest exposure to radon? For most Minnesotans, your greatest exposure is at home where radon can concentrate indoors.

What is the recommended action based on my results? If the average radon in the home is at or above 4.0 pCi/L, the home's radon level should be reduced. Also, consider mitigating if radon levels are between 2.0 pCi/L and 3.9 pCi/L. Any amount of radon, even below the recommended action level, carries some risk. A home's radon levels may change in the future, so test every 2–5 years, or sooner if there is major remodeling or changes to the foundation, heating, cooling, or ventilation.

Radon Warning Statement

“The Minnesota Department of Health strongly recommends that ALL home buyers have an indoor radon test performed prior to purchase or taking occupancy, and recommends having the radon levels mitigated if elevated radon concentrations are found. Elevated radon concentrations can easily be reduced by a qualified, certified, or licensed, if applicable, radon mitigator.

Every buyer of any interest in residential real property is notified that the property may present exposure to dangerous levels of indoor radon gas that may place the occupants at risk of developing radon-induced lung cancer. Radon, a Class A human carcinogen, is the leading cause of lung cancer in nonsmokers and the second leading cause overall. The seller of any interest in residential real property is required to provide the buyer with any information on radon test results of the dwelling.”

Radon Testing

Any test lasting less than three months requires **closed-house conditions**. Closed-house conditions include keeping all windows and doors closed, except for normal entry and exit, and temperature set to 65 – 80 °F. For a full list of closed-house conditions please visit mn.gov/radon/notice.

Before testing: Begin closed-house conditions at least 12 hours before the start of the radon test.

During testing: Maintain closed-house conditions during the entire duration of the short-term test. Operate home heating or cooling systems normally during the test.

Where should the test be conducted? Any radon test conducted for a real estate transaction needs to be placed in the lowest livable area of the home suitable for occupancy. This is typically in the basement, whether finished or unfinished. If other foundations are present, such as a crawl space or slab on grade, also test the rooms above these foundations.

Place the test kit:

- 20 inches to 6 feet above the floor
- 3 feet from exterior doors and windows
- 1 foot from exterior walls
- away from heat sources and drafts caused by vents and fans
- not in enclosed areas or areas of high heat/humidity

How are radon tests conducted in real estate transactions?

There are special protocols for radon testing in real estate transactions. Because these tests are time-sensitive there are two testing options. For both tests, test for a minimum of 2 days.

Continuous Radon Monitor (CRM)

MDH recommends CRMs in real estate testing. CRMs are calibrated, provide more data, and may detect tampering. The average of the results are used to make a decision to mitigate.

Simultaneous Short-Term Testing

Two short-term test kits are placed side by side, 4" – 8" apart. The results of the two tests are averaged and used to make a decision to mitigate.

Radon Mitigation

When elevated levels of radon are found, they can be easily reduced by a licensed professional.

Radon mitigation is the process or system used to reduce radon concentrations in the breathing zones of occupied buildings. The goal of a radon mitigation system is to reduce the indoor radon levels to below the action level. This is done by drawing soil gas from under the house and venting it above the roof. A quality mitigation system is often able to reduce the annual average radon level to below 2.0 pCi/L. The cost of a radon mitigation system averages \$1,500 to \$3,000.

After a radon mitigation system is installed perform an independent short-term test to ensure the reduction system is effective. Operate the radon system during the entire test. This short-term test will confirm low levels in the home. Be sure to retest the house every two years to confirm continued radon reduction.

All radon testing and mitigation should be conducted by licensed radon professionals. Radon service providers, such as home inspectors, must be licensed. A list of these licensed radon professionals can be found at MDH's radon web site. MDH conducts free inspections, upon request, of recently installed radon mitigation systems, to check that they meet requirements.

More Radon Information

www.mn.gov/radon

Last Updated 4/2023

MDH Indoor Air Unit

PO Box 64975
St Paul, MN 55164-0975



Contact Information

651-201-4601
800-798-9050
health.indoorair@state.mn.us



DISCLOSURE STATEMENT: WELL

This form is approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form. © 2022-2023 Minnesota Association of REALTORS®

1. Date September 27th 2026
2. Page 1 of _____ pages: THE REQUIRED MAP
3. IS ATTACHED HERE AND MADE A PART OF THIS
4. DISCLOSURE.

5. Minnesota Statute 103I.235 requires that, before signing an agreement to sell or transfer real property, Seller must
6. disclose information in writing to Buyer about the status and location of all known wells on the property. This requirement
7. is satisfied by delivering to Buyer either a statement by Seller that Seller does not know of any wells on the property,
8. or a disclosure statement indicating the legal description and county, and a map showing the location of each well.
9. In the disclosure statement Seller must indicate, for each well, whether the well is in use, not in use or sealed.

10. Unless Buyer and Seller agree to the contrary in writing, before the closing of the sale, a Seller who fails to disclose
11. the existence or known status of a well at the time of sale, and knew or had reason to know of the existence or known
12. status of the well, is liable to Buyer for costs relating to sealing of the well and reasonable attorneys' fees for collection
13. of costs from Seller, if the action is commenced within six years after the date Buyer closed the purchase of the real
14. property where the well is located.

15. Legal requirements exist relating to various aspects of location and status of wells. Buyer is advised to
16. contact the local unit(s) of government, state agency, or qualified professional which regulates wells for further
17. information about these issues. For additional information on wells, please visit the Minnesota Department of Health's
18. website at www.health.state.mn.us.

19. **Instructions for completion of this form are on page two (2).**

20. **PROPERTY DESCRIPTION:** Street Address: 2495 Willow Dr,

21. City of Medina, County of Hennepin,

22. State of Minnesota, Zip Code 55340.

23. **LEGAL DESCRIPTION:** UNPLATTED 16 118 23 THOSE PARTS OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER AND THE SOUTHEAST

24. QUARTER OF THE SOUTHEAST QUARTER OF SECTION 16 TOWNSHIP 118 RANGE 23 LYING WEST OF THE CENTERLINE OF WILLOW DRIVE AND LY

25. ING SOUTH OF THE SOUTH LINE OF THE NORTH 15 ACRES OF SAID SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER ("Property").

26. **WELL DISCLOSURE STATEMENT: (Check appropriate boxes.)**

27. Seller certifies that the following wells are located on the above-described real Property.

28.	MN Unique	Well	Year of	Well	IN USE	NOT IN	SHARED	SEALED
29.	Well No.	Depth	Const.	Type		USE		
30.	Well 1	<u>112209</u>	<u>444 Feet</u>	<u>1975</u>	<u>water</u>	☒	☐	☐
31.	Well 2	<u> </u>	<u> </u>	<u> </u>	<u> </u>	☐	☐	☐
32.	Well 3	<u> </u>	<u> </u>	<u> </u>	<u> </u>	☐	☐	☐

33. Is this property served by a well not located on the Property? ☐ Yes ☒ No

34. If "Yes," please explain: _____

35. _____

36. **NOTE: See definition of terms "IN USE," "NOT IN USE," and "SEALED" on lines 87-97. If a well is not in use, it**
37. **must be sealed by a licensed well contractor or a well owner must obtain a maintenance permit from**
38. **the Minnesota Department of Health and pay an annual maintenance fee. Maintenance permits are not**
39. **transferable. If a well is operable and properly maintained, a maintenance permit is not required.**

40. If the well is, "Shared":

41. (1) How many properties or residences does the shared well serve? _____

42. (2) Who manages the shared well? _____

43. (3) Is there a maintenance agreement for the shared well? ☐ Yes ☐ No

44. If "Yes," what is the annual maintenance fee? \$ _____

DISCLOSURE STATEMENT: WELL

45. Page 2

46. Property located at 2495 Willow Dr Medina MN 55340

47. **OTHER WELL INFORMATION:**

48. Date well water last tested for contaminants: _____ Test results attached? ☐ Yes ☐ No

49. Contaminated Well: Is there a well on the Property containing contaminated water? ☐ Yes ☐ No

50. Comments: _____

51.

52.

53.

54.

55.

56.

57. **SEALED WELL INFORMATION:** For each well designated as sealed above, complete this section.

58. When was the well sealed? _____

59. Who sealed the well? _____

60. Was a Sealed Well Report filed with the Minnesota Department of Health? ☐ Yes ☐ No

61. **MAP: Complete the attached *Disclosure Statement: Location Map* showing the location of each well on the**
62. **real Property.**

63. This disclosure is not a warranty of any kind by Seller(s) or any licensee(s) representing or assisting any part(ies) in
64. this transaction and is not a substitute for any inspections or warranties the party(ies) may wish to obtain.

65. **INSTRUCTIONS FOR COMPLETING THE WELL DISCLOSURE STATEMENT**

66. **DEFINITION:** A "well" means an excavation that is drilled, cored, bored, washed, driven, dug, jetted, or otherwise
67. constructed if the excavation is intended for the location, diversion, artificial recharge, or acquisition of groundwater.

68. **MINNESOTA UNIQUE WELL NUMBER:** All new wells constructed AFTER January 1, 1975, should have been
69. assigned a Minnesota unique well number by the person constructing the well. If the well was constructed after this
70. date, you should have the unique well number in your property records. If you are unable to locate your unique well
71. number and the well was constructed AFTER January 1, 1975, contact your well contractor. If no unique well number
72. is available, please indicate the depth and year of construction for each well.

73. **WELL TYPE:** Use one of the following terms to describe the well type.

74. **WATER WELL:** A water well is any type of well used to extract groundwater for private or public use.
75. Examples of water wells are: domestic wells, drive-point wells, dug wells, remedial wells, and municipal
76. wells.

77. **IRRIGATION WELL:** An irrigation well is a well used to irrigate agricultural lands. These are typically
78. large-diameter wells connected to a large pressure distribution system.

79. **MONITORING WELL:** A monitoring well is a well used to monitor groundwater contamination. The well is
80. typically used to access groundwater for the extraction of samples.

81. **DEWATERING WELL:** A dewatering well is a well used to lower groundwater levels to allow for construction
82. or use of underground spaces.


83. **INDUSTRIAL/COMMERCIAL WELL:** An industrial/commercial well is a nonpotable well used to extract
84. groundwater for any nonpotable use, including groundwater thermal exchange wells (heat pumps and heat
85. loops).

DISCLOSURE STATEMENT: WELL

86. Page 3

87. **WELL USE STATUS:** Indicate the use status of each well. CHECK ONLY ONE (1) BOX PER WELL.
88. **IN USE:** A well is "in use" if the well is operated on a daily, regular, or seasonal basis. A well in use includes
89. a well that operates for the purpose of irrigation, fire protection, or emergency pumping.
90. **NOT IN USE:** A well is "not in use" if the well does not meet the definition of "in use" above and has not
91. been sealed by a licensed well contractor.
92. **SEALED:** A well is "sealed" if a licensed contractor has completely filled a well by pumping grout material
93. throughout the entire bore hole after removal of any obstructions from the well. A well is "capped" if it has
94. a metal or plastic cap or cover which is threaded, bolted or welded into the top of the well to prevent entry
95. into the well. A "capped" well is not a "sealed" well.
96. If the well has been sealed by someone other than a licensed well contractor or a licensed well sealing
97. contractor, check the well status as "not in use."
98. If you have any questions, please contact the Minnesota Department of Health, Well Management Section,
99. at (651) 201-4587 (metropolitan Minneapolis-St. Paul) or 1-800-383-9808 (greater Minnesota).

100. **SELLER'S STATEMENT:** *(To be signed at time of listing.)*
101. Seller(s) hereby states that the facts as stated above are true and accurate and authorizes any licensee(s) representing
102. or assisting any party(ies) in this transaction to provide a copy of this Disclosure Statement to any person or entity
103. in connection with any actual or anticipated sale of the Property. A seller may provide this Disclosure Statement to
104. a real estate licensee representing or assisting a prospective buyer. The Disclosure Statement provided to the real
105. estate licensee representing or assisting a prospective buyer is considered to have been provided to the prospective
106. buyer. If this Disclosure Statement is provided to the real estate licensee representing or assisting the prospective
107. buyer, the real estate licensee must provide a copy to the prospective buyer.
108. **Seller is obligated to continue to notify Buyer in writing of any facts that differ from the facts disclosed here**
109. **(new or changed) of which Seller is aware that could adversely and significantly affect the Buyer's use or**
110. **enjoyment of the Property or any intended use of the Property that occur up to the time of closing.** To disclose
111. new or changed facts, please use the *Amendment to Disclosure Statement* form.

112.  09/27/2026  09/27/2026

(Seller) (Date) (Seller) (Date)

113. **BUYER'S ACKNOWLEDGEMENT:** *(To be signed at time of purchase agreement.)*
114. I/We, the Buyer(s) of the Property, acknowledge receipt of this *Disclosure Statement: Well* and *Disclosure Statement:*
115. *Location Map* and agree that no representations regarding facts have been made other than those made above.

116. _____

(Buyer) (Date) (Buyer) (Date)

117. **LISTING BROKER AND LICENSEES MAKE NO REPRESENTATIONS HERE AND ARE**
118. **NOT RESPONSIBLE FOR ANY CONDITIONS EXISTING ON THE PROPERTY.**

MN-DS:W-3 (8/25)



DISCLOSURE STATEMENT: SUBSURFACE SEWAGE TREATMENT SYSTEM

This form is approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form.
© 2021-2023 Minnesota Association of REALTORS®

1. Date September 27th, 2026
2. Page 1 of _____ pages:
3. THE REQUIRED MAP IS ATTACHED AND MADE A
4. PART OF THIS DISCLOSURE.

5. Property located at 2495 Willow Dr,
6. City of Medina, County of Hennepin,
7. State of Minnesota, Zip Code 55340, legally described as follows or on attached sheet:

8. UNPLATTED 16 118 23 THOSE PARTS OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER AND THE SOUTHEAST ("Property").
9. This disclosure is not a warranty of any kind by Seller(s) or any licensee(s) representing or assisting any party(ies) in
10. this transaction, and is not a substitute for any inspections or warranties the party(ies) may wish to obtain.

11. **BUYER(S) AND SELLER(S) MAY WISH TO OBTAIN PROFESSIONAL ADVICE AND/OR INSPECTIONS OF THE**
12. **SUBSURFACE SEWAGE TREATMENT SYSTEM AND TO PROVIDE FOR APPROPRIATE PROVISIONS IN A**
13. **CONTRACT BETWEEN BUYER(S) AND SELLER(S) WITH RESPECT TO ANY ADVICE/INSPECTION/**
14. **DEFECTS.**

15. **SELLER'S INFORMATION:** The following Seller disclosure satisfies MN Statutes Chapter 115.55. Seller discloses
16. the following information with the knowledge that even though this is not a warranty, prospective Buyers may rely on
17. this information in deciding whether and on what terms to purchase the Property. The Seller(s) authorizes any
18. licensee(s) representing or assisting any party(ies) in this transaction to provide a copy of this statement to any person
19. or entity in connection with any actual or anticipated sale of the Property.

20. Unless Buyer and Seller agree to the contrary in writing before the closing of the sale, a Seller who fails to disclose
21. the existence or known status of a subsurface sewage treatment system at the time of sale, and who knew or had
22. reason to know of the existence or known status of the system, is liable to Buyer for costs relating to bringing the
23. system into compliance with subsurface sewage treatment system rules and for reasonable attorney fees for collection
24. of costs from Seller. An action under this subdivision must be commenced within two years after the date on which
25. Buyer closed the purchase of the real property where the system is located.

26. Legal requirements exist relating to various aspects of location and status of subsurface sewage treatment systems.
27. Buyer is advised to contact the local unit(s) of government, state agency, or qualified professional which regulates
28. subsurface sewage treatment systems for further information about these issues.

29. The following are representations made by Seller(s) to the extent of Seller(s) actual knowledge. This information is a
30. disclosure and is not intended to be part of any contract between Buyer and Seller.

31. **SUBSURFACE SEWAGE TREATMENT SYSTEM DISCLOSURE:** *(Check the appropriate boxes.)*

32. Seller certifies that the following subsurface sewage treatment system is on or serving the above-described Property.

33. TYPE: *(Check appropriate box(es) and indicate location on attached Disclosure Statement: Location Map.)*

34. ☒ Septic Tank: ☒ with drain field ☐ with mound system ☐ seepage tank ☐ with open end
35. Is this system a straight-pipe system? ☐ Yes ☐ No ☐ Unknown

36. ☐ Sealed System (holding tank)

37. ☐ Other (Describe.): _____

38. Is the subsurface sewage treatment system(s) currently in use? ☐ Yes ☐ No

39. Is the above-described Property served by a subsurface sewage treatment system
40. located entirely within the Property boundary lines, including setback requirements? ☐ Yes ☐ No

41. If "No," please explain: _____

- 42.
43. Comments: _____

44. See attached Compliance Certificates for 2 septic systems.

DISCLOSURE STATEMENT: SUBSURFACE SEWAGE TREATMENT SYSTEM

45. Page 2

46. Property located at 2495 Willow Dr Medina MN 55340

47. Is the subsurface sewage treatment system(s) a shared system? ☐ Yes ☒ No

48. If "Yes,"

49. (1) How many properties or residences does the subsurface sewage treatment system serve?

50. _____

51. (2) Is there a maintenance agreement for the shared subsurface sewage treatment system? ☐ Yes ☐ No

52. If "Yes," what is the annual maintenance fee? \$ _____

53. **NOTE: If any water use appliance, bedroom, or bathroom has been added to the Property, the system may**
54. **no longer comply with applicable sewage treatment system laws and rules.**

55. Seller or transferor shall disclose to Buyer or transferee what Seller or transferor has knowledge of relative to the
56. compliance status of the subsurface sewage treatment system. _____

57.

58.

59. Any previous inspection report in Seller's possession must be attached to this Disclosure Statement.

60. When was the subsurface sewage treatment system installed? _____

61. Installer Name/Phone _____

62. Where is tank located? _____

63. What is tank size? _____

64. When was tank last pumped? _____

65. How often is tank pumped? _____

66. Where is the drain field located? _____

67. What is the drain field size? _____

68. Describe work performed to the subsurface sewage treatment system since you have owned the Property.

69.

70.

71. Date work performed/by whom: _____

72. _____

73. Approximate number of:

74. people using the subsurface sewage treatment system _____

75. showers/baths taken per week _____

76. wash loads per week _____

77. **NOTE: Changes in the number of people using the subsurface sewage treatment system or volume of water**
78. **used may affect the subsurface sewage treatment system performance.**

79. Distance between well and subsurface sewage treatment system? _____

80. Have you received any notices from any government agencies relating to the subsurface sewage treatment system?

81. (If "Yes," see attached notice.)

☐ Yes ☒ No

82. Are there any known defects in the subsurface sewage treatment system?

☐ Yes ☒ No

83. If "Yes," please explain: _____

84.

85.

DISCLOSURE STATEMENT: SUBSURFACE SEWAGE TREATMENT SYSTEM

86. Page 3

87. Property located at 2495 Willow Dr Medina MN 55340

88. **SELLER'S STATEMENT:** *(To be signed at time of listing.)*

89. Seller(s) hereby states the facts as stated above are true and accurate and authorizes any licensee(s) representing or
90. assisting any party(ies) in this transaction to provide a copy of this Disclosure Statement to any person or entity in
91. connection with any actual or anticipated sale of the Property. A seller may provide this Disclosure Statement to a
92. real estate licensee representing or assisting a prospective buyer. The Disclosure Statement provided to the real
93. estate licensee representing or assisting a prospective buyer is considered to have been provided to the prospective
94. buyer. If this Disclosure Statement is provided to the real estate licensee representing or assisting the prospective
95. buyer, the real estate licensee must provide a copy to the prospective buyer.

96. **Seller is obligated to continue to notify Buyer in writing of any facts that differ from the facts disclosed here**
97. **(new or changed) of which Seller is aware that could adversely and significantly affect the Buyer's use or**
98. **enjoyment of the Property or any Intended use of the Property that occur up to the time of closing.** To disclose
99. new or changed facts, please use the *Amendment to Disclosure Statement* form.

100.  Dion Buhman 09/27/2026  Tanya Y Buhman 09/27/2026
(Seller) (Date) (Seller) (Date)

101. **BUYER'S ACKNOWLEDGEMENT:** *(To be signed at time of purchase agreement.)*

102. I/We, the Buyer(s) of the Property, acknowledge receipt of this *Disclosure Statement: Subsurface Sewage Treatment*
103. *System and Disclosure Statement: Location Map* and agree that no representations regarding facts have been made
104. other than those made above.

105. _____
(Buyer) (Date) (Buyer) (Date)

106. **LISTING BROKER AND LICENSEES MAKE NO REPRESENTATIONS HERE AND ARE**
107. **NOT RESPONSIBLE FOR ANY CONDITIONS EXISTING ON THE PROPERTY.**

MN-DS:SSTS-3 (8/25)



DISCLOSURE STATEMENT: LOCATION MAP

This form is approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form.
© 2021-2023 Minnesota Association of REALTORS®

1. Page _____ of _____ pages


2. Please use the space below to sketch the real property being sold and, to Seller's knowledge, the approximate location of any of the following on the property.

4. ☐ SUBSURFACE SEWAGE TREATMENT SYSTEM ☐ WELL ☐ METHAMPHETAMINE PRODUCTION AREA
(Check all that apply.)

5. Include approximate distances from fixed reference points such as streets, buildings and landmarks.

6. Property located at **2495 Willow Dr** **Medina** **MN 55340**

7. UNPLATTED 16 118 23 THOSE PARTS OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER AND THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 16 TOW



8. ATTACH ADDITIONAL SHEETS AS NEEDED.

9. Seller and Buyer initial:

Dion Buhman 09/27/2026

(Seller) (Date) (Buyer) (Date)

Tanya Y Buhman 09/27/2026

(Seller) (Date) (Buyer) (Date)

11. ORIGINAL COPY TO LISTING BROKER; COPIES TO SELLER, BUYER, SELLING BROKER
MN-IM (8/25)



Compliance inspection report form
Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at <https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf>.

Property information

Local tracking number:

Parcel ID# or Sec/Twp/Range: 1611823430003 Reason for Inspection Property Transfer
Local regulatory authority info: City of Medina
Property address: 2495 Willow Drive, Medina
Owner/representative: Andrew Spilseth (Representative) Owner's phone: 612-396-2951
Brief system description: 1-2000 gallon holding tank, 1-2250 Gallon septic tanks, 1-1000 gallon lift and approximately 650 square feet of rock bed per city records.

System statusSystem status on date (mm/dd/yyyy): 2/14/2024☒ **Compliant – Certificate of compliance***

(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)

***Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.**

☐ **Noncompliant – Notice of noncompliance**

Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.

An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.

Reason(s) for noncompliance (check all applicable)

- ☐ Impact on public health (Compliance component #1) – *Imminent threat to public health and safety*
- ☐ Tank integrity (Compliance component #2) – *Failing to protect groundwater*
- ☐ Other Compliance Conditions (Compliance component #3) – *Imminent threat to public health and safety*
- ☐ Other Compliance Conditions (Compliance component #3) – *Failing to protect groundwater*
- ☐ System not abandoned according to Minn. R. 7080.2500 (Compliance component #3) – *Failing to protect groundwater*
- ☐ Soil separation (Compliance component #5) – *Failing to protect groundwater*
- ☐ Operating permit/monitoring plan requirements (Compliance component #4) – *Noncompliant - local ordinance applies*

Comments or recommendations

There is 1.0 feet of sand under the rock bed.

There was some concrete deteriorating by the outlet pipe on the second compartment of the 2250 gallon septic tank. See pumping report.

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

By typing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Business name: Rusty Olson Soil & percolation TestingCertification number: C1255Inspector signature: Joseph J. OlsonLicense number: L810*(This document has been electronically signed)*Phone: 763-498-8779**Necessary or locally required supporting documentation (must be attached)**

- ☒ Soil observation logs ☒ System/As-Built ☐ Locally required forms ☒ Tank Integrity Assessment ☐ Operating Permit
☐ Other information (list):

1. Impact on public health – Compliance component #1 of 5**Compliance criteria:**

System discharges sewage to the ground surface

☐ Yes* ☒ No

System discharges sewage to drain tile or surface waters.

☐ Yes* ☒ No

System causes sewage backup into dwelling or establishment.

☐ Yes* ☒ No**Any "yes" answer above indicates the system is an imminent threat to public health and safety.****Describe verification methods and results:**

Visual

Attached supporting documentation:☐ Other: _____☒ Not applicable**2. Tank integrity – Compliance component #2 of 5****Compliance criteria:**

System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?

☐ Yes* ☒ No

Sewage tank(s) leak below their designed operating depth?

☐ Yes* ☒ No

If yes, which sewage tank(s) leaks:

Any "yes" answer above indicates the system is failing to protect groundwater.**Describe verification methods and results:**

The tanks were pmped and certified by Kothrade Sewer & Water. See attached report.

Attached supporting documentation:☐ Empty tank(s) viewed by inspector

Name of maintenance business: _____

License number of maintenance business: _____

Date of maintenance: _____

☒ Existing tank integrity assessment (Attach)

Date of maintenance 2/12/2024

(mm/dd/yyyy):

(must be within three years)

(See form instructions to ensure assessment complies with Minn. R. 7082.0700 subp. 4 B (1))

☐ Tank is Noncompliant (pumping not necessary – explain below)☐ Other: _____

3. Other compliance conditions – Compliance component #3 of 5

3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unsecured?

☐ Yes* ☒ No ☐ Unknown

3b. Other issues (*electrical hazards, etc.*) to immediately and adversely impact public health or safety? ☐ Yes* ☒ No ☐ Unknown

***Yes to 3a or 3b - System is an imminent threat to public health and safety.**

3c. System is non-protective of ground water for other conditions as determined by inspector? ☐ Yes* ☒ No

3d. System not abandoned in accordance with Minn. R. 7080.2500? ☐ Yes* ☒ No

***Yes to 3c or 3d - System is failing to protect groundwater.**

Describe verification methods and results:

Visual

Attached supporting documentation: ☒ Not applicable ☐

4. Operating permit and nitrogen BMP* – Compliance component #4 of 5 ☒ Not applicable

Is the system operated under an Operating Permit? ☐ Yes ☐ No If "yes", A below is required

Is the system required to employ a Nitrogen BMP specified in the system design? ☐ Yes ☐ No If "yes", B below is required

BMP = Best Management Practice(s) specified in the system design

If the answer to both questions is "no", this section does not need to be completed.

Compliance criteria:

a. Have the operating permit requirements been met? ☐ Yes ☐ No

b. Is the required nitrogen BMP in place and properly functioning? ☐ Yes ☐ No

Any "no" answer indicates noncompliance.

Describe verification methods and results:

Attached supporting documentation: ☐ Operating permit (Attach) ☐

5. Soil separation – Compliance component #5 of 5

Date of installation 9/13/1988 ☐ Unknown
(mm/dd/yyyy)

Shoreland/Wellhead protection/Food beverage lodging? ☐ Yes ☒ No

Compliance criteria (select one):

5a. For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment: ☒ Yes ☐ No*

Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.

5b. Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment: ☐ Yes ☐ No*

Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*

5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080.2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day) ☐ Yes ☐ No*

Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.

***Any "no" answer above indicates the system is failing to protect groundwater.**

Describe verification methods and results:

Attached supporting documentation:

- ☒ Soil observation logs completed for the report
☐ Two previous verifications of required vertical separation
☐ Not applicable (No soil treatment area)
☐ _____

Indicate depths or elevations

A. Bottom of distribution media	100.0
B. Periodically saturated soil/bedrock	97.3
C. System separation	2.7
D. Required compliance separation*	2.0

*May be reduced up to 15 percent if allowed by Local Ordinance.

Upgrade requirements: (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

Compliance inspection report form
Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at <https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf>.

Property information

Local tracking number:

Parcel ID# or Sec/Twp/Range: 1611823430003 Reason for Inspection: Property Transfer
Local regulatory authority info: City of Medina
Property address: 2495 Willow Drive, Medina
Owner/representative: Andrew Spilseth (Representative) Owner's phone: 612-396-2951
Brief system description: 1-2000 gallon holding tank, 1-2250 Gallon septic tanks, 1-1000 gallon lift and approximately 650 square feet of rock bed per city records.

System status

System status on date (mm/dd/yyyy): 2/14/2024

☒ Compliant – Certificate of compliance*

(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)

***Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.**

☐ Noncompliant – Notice of noncompliance

Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.

An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.

Reason(s) for noncompliance (check all applicable)

- ☐ Impact on public health (Compliance component #1) – Imminent threat to public health and safety
- ☐ Tank integrity (Compliance component #2) – Failing to protect groundwater
- ☐ Other Compliance Conditions (Compliance component #3) – Imminent threat to public health and safety
- ☐ Other Compliance Conditions (Compliance component #3) – Failing to protect groundwater
- ☐ System not abandoned according to Minn. R. 7080.2500 (Compliance component #3) – Failing to protect groundwater
- ☐ Soil separation (Compliance component #5) – Failing to protect groundwater
- ☐ Operating permit/monitoring plan requirements (Compliance component #4) – Noncompliant - local ordinance applies

Comments or recommendations

There is 1.0 feet of sand under the rock bed.

There was some concrete deteriorating by the outlet pipe on the second compartment of the 2250 gallon septic tank. See pumping report.

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

By typing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Business name: Rusty Olson Soil & percolation Testing

Certification number: C1255

Inspector signature: Joseph J. Olson

License number: L810

(This document has been electronically signed)

Phone: 763-498-8779

Necessary or locally required supporting documentation (must be attached)

- ☒ Soil observation logs
- ☒ System/As-Built
- ☐ Locally required forms
- ☒ Tank Integrity Assessment
- ☐ Operating Permit
- ☐ Other information (list):

1. Impact on public health – Compliance component #1 of 5**Compliance criteria:**

System discharges sewage to the ground surface

☐ Yes* ☒ No

System discharges sewage to drain tile or surface waters.

☐ Yes* ☒ No

System causes sewage backup into dwelling or establishment.

☐ Yes* ☒ No***Any "yes" answer above indicates the system is an imminent threat to public health and safety.*****Describe verification methods and results:**

Visual

Attached supporting documentation:☐ Other: _____☒ Not applicable**2. Tank integrity – Compliance component #2 of 5****Compliance criteria:**

System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?

☐ Yes* ☒ No

Sewage tank(s) leak below their designed operating depth?

☐ Yes* ☒ No

If yes, which sewage tank(s) leaks:

Any "yes" answer above indicates the system is failing to protect groundwater.**Describe verification methods and results:**

The tanks were pumped and certified by Kothrade Sewer & Water. See attached report.

Attached supporting documentation:☐ Empty tank(s) viewed by inspector

Name of maintenance business: _____

License number of maintenance business: _____

Date of maintenance: _____

☒ Existing tank integrity assessment (Attach)

Date of maintenance 2/12/2024

(mm/dd/yyyy):

(must be within three years)

(See form instructions to ensure assessment complies with Minn. R. 7082.0700 subp. 4 B (1))

☐ Tank is Noncompliant (pumping not necessary – explain below)☐ Other: _____

3. Other compliance conditions – Compliance component #3 of 5

3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unsecured?

☐ Yes* ☒ No ☐ Unknown

3b. Other issues (*electrical hazards, etc.*) to immediately and adversely impact public health or safety? ☐ Yes* ☒ No ☐ Unknown

***Yes to 3a or 3b - System is an imminent threat to public health and safety.**

3c. System is non-protective of ground water for other conditions as determined by inspector? ☐ Yes* ☒ No

3d. System not abandoned in accordance with Minn. R. 7080.2500? ☐ Yes* ☒ No

***Yes to 3c or 3d - System is failing to protect groundwater.**

Describe verification methods and results:

Visual

Attached supporting documentation: ☒ Not applicable ☐

4. Operating permit and nitrogen BMP* – Compliance component #4 of 5 ☒ Not applicable

Is the system operated under an Operating Permit? ☐ Yes ☐ No If "yes", A below is required

Is the system required to employ a Nitrogen BMP specified in the system design? ☐ Yes ☐ No If "yes", B below is required

BMP = Best Management Practice(s) specified in the system design

If the answer to both questions is "no", this section does not need to be completed.

Compliance criteria:

a. Have the operating permit requirements been met? ☐ Yes ☐ No

b. Is the required nitrogen BMP in place and properly functioning? ☐ Yes ☐ No

Any "no" answer indicates noncompliance.

Describe verification methods and results:

Attached supporting documentation: ☐ Operating permit (Attach) ☐

5. Soil separation – Compliance component #5 of 5

Date of installation 9/13/1988 ☐ Unknown
(mm/dd/yyyy)

Shoreland/Wellhead protection/Food beverage lodging? ☐ Yes ☒ No

Compliance criteria (select one):

5a. For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment: ☒ Yes ☐ No*

Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.

5b. Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment: ☐ Yes ☐ No*

Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*

5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080.2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day) ☐ Yes ☐ No*

Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.

***Any "no" answer above indicates the system is failing to protect groundwater.**

Describe verification methods and results:

Attached supporting documentation:

- ☒ Soil observation logs completed for the report
☐ Two previous verifications of required vertical separation
☐ Not applicable (No soil treatment area)
☐ _____

Indicate depths or elevations

A. Bottom of distribution media	100.0
B. Periodically saturated soil/bedrock	97.3
C. System separation	2.7
D. Required compliance separation*	2.0

*May be reduced up to 15 percent if allowed by Local Ordinance.

Upgrade requirements: (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.


1. LOCATION OF WELL
County Name **Hennepin** Fraction **SE** Section Number **16** Township Number **N. or S.** Range Number **E. or W.**

Distance and Direction from Road Intersections of Street Address and City of Well Location

2501 Willow Drive - Medina, Minn.

Show exact location of well in section grid with "X."

Sketch map of well location.



1C, p. 15 Rockford

QUAD 121

QBAA

AUGUST 1971 - CFRN

2. FORMATION LOG

FORMATION LOG	COLOR	HARDNESS OF FORMATION	FROM	TO
Pit	PITT PITT		0	7
Clay	yellow		7	24
Gravel	hard		24	29
Clay, sandy	blue		29	60
Gravel	hard		60	73
Clay	reddish		73	98
Clay	yellow		98	123
Clay	blue		123	174
Clay	red	sandy	174	203
Clay	gray	sandy	203	218
Water sand, dirty	fine		218	252
Sandrock	green	shaly	252	271
Shale			271	275
Sandrock & gravel	green	shaly	275	284
Sand & gravel	yellow		284	295
Water sand, clean			295	309
Sandy shale			309	319
Shaly & clay			319	334
Shale limerock			334	348
Shale, limerock & sandrock			348	444

118-23-16 DDBBAC

EL. 1000 ± 10

1020 ± 5'

**1020 020
686 672**

121-D

**1020
652**

768

CODED

5. REMARKS, ELEVATION, SOURCE OF DATA, etc.

**Rockford
1/2C-15**

**1020
444
2576**

3. PROPERTY OWNER'S NAME

**Erick Canton
2501 Willow Drive
Medina, Minn.**

4. WELL DEPTH (completed)

444

ft.

Date of Completion

9/15/75

5.

- 1 ☒ Cable tool 4 ☐ Reverse 7 ☐ Driven 10 ☐ Dug
2 ☐ Hollow rod 5 ☐ Air 6 ☐ Bored 11 ☐
3 ☐ Rotary 6 ☐ Jetted 9 ☐ Power Auger

6. USE

- 1 ☒ Domestic 4 ☐ Public Supply 7 ☐ Industry
2 ☐ Irrigation 5 ☐ Air Conditioning 8 ☐ Commercial
3 ☐ Test Well 6 ☐

7. CASING DIAM.

Threaded ☒ 1 Welded ☐ 3 Surface _____ ft.
Black ☒ 2 Galv. ☐ 4
6" in. to **329'7"** ft. depth Weight _____ lbs./ft.
in. to _____ ft. depth Drive Shoe? Yes ☒ No ☐
in. to _____ ft. depth

8. SCREEN

Make **PLTS** Or open hole from **329'7"** to **444** ft.
Type _____ Dia. _____
Slot/Cause _____ Length _____ FITTINGS:
Set between _____ ft. and _____ ft.
1768 _____ ft. and _____ ft.
_____ ft. and _____ ft.

9. STATIC WATER LEVEL

115 ft. ☒ below ☐ above Date Measured **9/16/75**
land surface

10. PUMPING LEVEL (below land surface)

115 ft. after **5** hrs. pumping **35** g.p.m.
140 ft. after **8** hrs. pumping **60** g.p.m.

11. WELL HEAD COMPLETION

- 1 ☐ Patents adapter 2 ☒ Basement offset 3 ☐ At least 12" above grade

12. Well grouted?

☐ Yes ☒ No Cu. Yds. _____
1 ☒ Neat cement 2 ☐ Bentonite 3 ☐
Depth: from **1** ft. to **1** ft.
from _____ ft. to _____ ft.

13. Nearest source of possible contamination

_____ feet _____ direction _____ type
Well disinfected upon completion? Yes ☒ No ☐

14. PUMP

Date installed _____
☒ Not installed
Manufacturer's Name _____
Model Number _____ HP _____ Volts _____
Length of drop pipe _____ ft. capacity _____ g.p.m.
Material of drop pipe _____
Type: 1 ☐ Submersible 3 ☐ L.S. Turbine 5 ☐ Reciprocating
2 ☐ Jet 4 ☐ Centrifugal 6 ☐

16. WATER WELL CONTRACTOR'S CERTIFICATION

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Bergerson-Caswell

27058

Licensee Business Name

License No.

Address **13120 Wayzata Blvd.
Minnetonka, Minn.**

Signed _____ Date **9/18/75**

E. K. Heinrich

Name of Driller

7/74 30M



Well Management Section
625 North Robert Street
P.O. Box 64975
St. Paul, Minnesota 55164-0975
651-201-4600 or 800-383-9808
www.health.state.mn.us/divs/eh/wells

**Well Disclosure Certificate
Electronically Filed**

Well Disclosure Certificate Number: 1021384

Submittal Date: 31-Jul-2017

Property Information

County	HENNEPIN
Number of Wells	1
Seller	ELIZABETH A GOODMAN
Property Legal Provided?	Yes
Sketch Map Provided?	Yes
Well Documents Provided?	No
Contract for Deed?	No
Submitter Signature	ANDREA MCCARTY
Submitter Represents	Both

Property Buyer and Mailing Address After Closing

Property Buyer No. 1

Name	MIRON EDWARD MARCOTTE
Address	2495 WILLOW DRIVE MEDINA, MN 55340

Phone Number

Property Buyer No. 2

Name	ANNE ELIZABETH MARCOTTE
Address	2495 WILLOW DRIVE MEDINA, MN 55340

Phone Number

Well Information

Well No. 1

Minnesota Unique Well Number or Sealing Record Number	112209
County	HENNEPIN
Property ID No.	1611823430003
Location	SE Qtr of SE Qtr of SE Qtr of SE Qtr of Section 16 Township 118 Range 23
Address	2495 WILLOW DRIVE MEDINA 55340

Well Status


In Use

Legal Description:

Those parts of the Southeast Quarter of the Southeast Quarter and the Southwest Quarter of the Southeast Quarter of Section 16, Township 118, Range 23, Hennepin County, Minnesota lying west of the centerline of Willow Drive as travelled, lying south of the south line of the North 15 acres of said Southwest Quarter of the Southeast Quarter and its easterly extension to said centerline of Willow Drive as travelled, and lying easterly of the following described line: Commencing at the southwest corner of said Southwest Quarter of the Southeast Quarter; thence South 88 degrees 55 minutes 50 seconds East, assumed bearing, along the south line of said Southwest Quarter of the Southeast Quarter, a distance of 970.41 feet to the west line of the East 370.00 feet of said Southwest Quarter of the Southeast Quarter being the point of beginning of the line to be described; thence North 00 degrees 24 minutes 39 seconds East, along said west line of the East 370.00 feet of the Southwest Quarter of the Southeast Quarter, a distance of 419.10 feet; thence North 56 degrees 59 minutes 42 seconds West, a distance of 154.89 feet to the west line of the East 500.50 feet of said Southwest Quarter of the Southeast Quarter; thence north 00 degrees 24 minutes 39 seconds East along said west line of the East 500.50 feet of the Southwest Quarter of the Southeast Quarter, a distance of 335.06 feet to said south line of the North 15 acres of the Southwest Quarter of the Southeast Quarter and said line there terminating.

Exhibit B

Call 48 Hours before digging:
GOPHER STATE ONE CALL
 Twin City Area 851-454-0002
 Mn. Toll Free 1-800-252-1188



I for:
Elizabeth A. Goodman & Herbert C. Gardner
 2495 Willow Drive
 Medina, Minnesota 55340

Part of the SE 1/4
 of Sec. 16,
 Twp. 118, Rge. 23
 Hennepin County, Minnesota

Date: 1/30/06 Sheet: 1 OF 1

Certificate of Survey