



Water Quality:	Strata Depth (ft.)	Water Type
	66 - 71	8 gpm
	122 - 123	7 gpm
	358 - 359	15 gpm
	359 - 368	10 gpm - 400 TDS, 19 grains hardness

Chemical Analysis Made: **Yes**

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information: **L & L Drilling Co.**  
**P.O. Box 217**  
**Hye, TX 78635**

Driller Name: **Austin Durst** License Number: **60909**

Comments: **No Data**

Lithology:  
 DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing:  
 BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	brown topsoil
1	11	caliche with yellow shale & limestone
11	66	white, brown & yellow limestone
66	71	white limestone - water 8 gpm
71	122	brown & white limestone
122	123	broken up white limestone - water 7 gpm
123	137	brown & white limestone
137	180	brown limestone with red streaks
180	327	gray & brown limestone
327	401	white & red limestone
358	359	water 15 gpm
359	368	water 10 gpm
401	425	gray & white limestone

Dia (in.)	Type	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
6	Blank	New Plastic (PVC)	40 0.28	-2	51

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

**Texas Department of Licensing and Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 334-5540**