

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Seasonal _____ ☐ Unknown
☐ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown
Quantity: ☐ Yes ☒ No ☐ Unknown
Quality: ☐ Yes ☒ No ☐ Unknown
If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☐ Yes ☒ No
~~If Yes, Date of most recent test: _____ Are test results available? .. ☐ Yes ☐ No~~
~~To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? ☐ Yes ☐ No~~
~~If Yes, are test results available? ☐ Yes ☐ No~~
~~What steps were taken to remedy the problem? _____~~

~~IF PRIVATE: (Strike Section if Not Applicable):~~

~~INSTALLATION: Location: _____
Installed by: _____
Date of Installation: _____
USE: Number of persons currently using system: _____
Does system supply water for more than one household? ☐ Yes ☐ No ☐ Unknown~~

Comments: Water Supplied by KK&W Water District

Source of Section I information: Sellers

Buyer Initials _____

Page 1 of 8

Seller Initials

Initial Initial
JK MSK

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... ☐ Yes ☒ No

If Yes, what results: --

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☒ No

What steps were taken to remedy the problem? --

~~IF PRIVATE (Strike Section if Not Applicable):~~

~~Tank: ☐ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____~~

~~Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☐ Other: _____~~

~~Tank Type: ☐ Concrete ☐ Metal ☐ Unknown ☐ Other: _____~~

~~Location: _____ OR ☐ Unknown~~

~~Date installed: _____ Date last pumped: _____ Name of pumping company: _____~~

~~Have you experienced any malfunctions? ☐ Yes ☐ No~~

~~If Yes, give the date and describe the problem: _____~~

~~Date of last servicing of tank: _____ Name of company servicing tank: _____~~

~~Leach Field: ☐ Yes ☐ No ☐ Unknown~~

~~If Yes, Location: _____~~

~~Date of installation of leach field: _____ Installed by: _____~~

~~Date of last servicing of leach field: _____ Company servicing leach field: _____~~

~~Have you experienced any malfunctions? ☐ Yes ☐ No~~

~~If Yes, give the date and describe the problem and what steps were taken to remedy: _____~~

~~Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☐ No~~

~~If Yes, are they available? ☐ Yes ☐ No~~

~~Is System located in a Shoreland Zone? ☐ Yes ☐ No ☐ Unknown~~

Comments: **Public Sewer**

Source of Section II information: **Sellers**

Buyer Initials _____

Page 2 of 8

Seller Initials Initial Initial
JK MSK

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	FHA Heat/Cool			
Age of system(s) or source(s)	2018			
TYPE(S) of Fuel	Propane			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	\$1200 annually			
Name of company that services system(s) or source(s)	Pine State			
Date of most recent service call	2024 Cleaning			
Malfunctions per system(s) or source(s) within past 2 years	None			
Other pertinent information	Fuel Supplied by Superior			

Are there fuel supply lines? ☒ Yes ☐ No ☐ UnknownAre any buried? ☐ Yes ☐ No ☒ UnknownAre all sleeved? ☐ Yes ☐ No ☒ UnknownChimney(s): ☐ Yes ☒ NoIf Yes, are they lined: ☐ Yes ☒ No ☐ UnknownIs more than one heat source vented through one flue? ☐ Yes ☒ No ☐ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: _____

Date chimney(s) last cleaned: n/aDirect/Power Vent(s): ☒ Yes ☐ No ☐ UnknownHas vent(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: _____

Comments: **System is for heating and cooling**Source of Section III information: **Seller****SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☐ No ☒ UnknownIf Yes, are tanks in current use? ☐ Yes ☐ No ☒ Unknown

If no longer in use, how long have they been out of service? ----

If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☒ UnknownAre tanks registered with DEP? ☐ Yes ☐ No ☒ Unknown

Age of tank(s): ----- Size of tank(s): -----

Location: -----

Buyer Initials _____

Page 3 of 8

Seller Initials JK MSK

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043

What materials are, or were, stored in the tank(s)? -----

Have you experienced any problems such as leakage: ☐ Yes ☐ No ☒ Unknown

Comments: Sellers have no knowledge of underground tanks

Source of information: Sellers

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ Unknown

In the ceilings? ☐ Yes ☒ No ☐ Unknown

In the siding? ☐ Yes ☒ No ☐ Unknown

In the roofing shingles? ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ☐ Yes ☒ No ☐ Unknown

Other: none ☐ Yes ☒ No ☐ Unknown

Comments: Seller has no knowledge of asbestos, condo was built in 2018

Source of information: Sellers

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If Yes: Date: 2018 By: Brandon Lussier, Pillar to Post

Results: Acceptable, as per the prior disclosure

If applicable, what remedial steps were taken? ---

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☒ No

Results/Comments: None

Source of information: Sellers, Prior Disclosure

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☐ No ☒ Unknown

If Yes: Date: --- By: ---

Results: -----

If applicable, what remedial steps were taken? -----

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: Public Water

Source of information: Sellers

E. METHAMPHETAMINE - Current or previously existing:

☐ Yes ☐ No ☒ Unknown

Comments: Sellers have no knowledge of methamphetamines

Source of information: Sellers

Buyer Initials _____

Page 4 of 8

Seller Initials JK MSK

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
 Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: ----

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: ---

Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ No

Comments: None

Source of information: Sellers

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL: ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: None

Source of information: Sellers

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ Unknown

If Yes, explain: Coastal Woods Condominium Association

Source of information: Deed

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? Coastal Woods Condominium Association

Road Association Name (if known): unknown

Source of information: Sellers

Buyer Initials _____

Page 5 of 8

Seller Initials Initial Initial
JK MSK

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: --Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: ---Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: --Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the dates of each claim: ----Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the date of each payment: ----

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 23031C0444G Year: 2024 (Attach a copy)Comments: Condo is not in the flood zoneSource of Section VI information: Sellers, FEMA

Buyer Initials _____

Page 6 of 8

Seller Initials

Initial
JKInitial
MSK

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: --

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Are there any actual or alleged violations of a shoreland zoning ordinance

including those that are imposed by the state or municipality? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: --

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: Propane Tank

Year Principal Structure Built: 2018 What year did Seller acquire property? 2020

Roof: Year Shingles/Other Installed: 2018

Water, moisture or leakage: None Known

Comments: None

Foundation/Basement:

Is there a Sump Pump? ☒ Yes ☐ No ☐ Unknown

Water, moisture or leakage since you owned the property: ☒ Yes ☐ No ☐ Unknown

Prior water, moisture or leakage? ☐ Yes ☐ No ☒ Unknown

Comments: Slight Water intrusion, Sellers had TC Hafford install complete basement encapsulation system, no problems since

Mold: Has the property ever been tested for mold? ☐ Yes ☐ No ☒ Unknown

If Yes, are test results available? ☐ Yes ☐ No

Comments: None

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: None

Has all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ☐ Yes ☐ No ☒ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ Unknown

Modular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ Unknown

Comments: None

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None Known

Comments: None

Source of Section VII information: Sellers

Buyer Initials _____

Page 7 of 8

Seller Initials JK MSK

PROPERTY LOCATED AT: 7 Coastal Wood Drive 102, Kennebunk, ME 04043

SECTION VIII - ADDITIONAL INFORMATION

Prior to sellers ownership, there was slight water intrusion in the basement. TC Hafford installed a full basement encapsulation, the warranty is transferrable.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: James L. Krakowka 6/25/2025 | 6:39 AM EDT
SELLER 676AE8DD5F524BF... DATE
James L. Krakowka

Signed by: Mary Sharon Krakowka 6/25/2025 | 6:48 AM EDT
SELLER F66827A1CFBC4CF... DATE
Mary Sharon Krakowka

SELLER _____ DATE _____

SELLER _____ DATE _____

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____

